



City of Grand Island

Tuesday, November 10, 2020

Council Session

Item G-22

#2020-292 - Approving Purchase of a New Dump Truck for the Parks Division of the Parks & Recreation Department

Staff Contact: Todd McCoy, Parks & Recreation Director

Council Agenda Memo

From: Todd McCoy, Parks and Recreation Director

Meeting: November 10, 2020

Subject: Purchase of One (1) New Dump Truck for Parks Operations

Presenter(s): Todd McCoy, Parks and Recreation Director

Background

The Parks Division budgeted this year to replace a 1992 dump truck. The replacement truck is necessary as the current unit has rusting concerns, limited capacity, and is becoming less dependable. The new equipment will provide additional years of service to the Parks Division operation and be easier for staff to operate. The new truck will haul woodchips, dirt, tree branches, gravel, sand, logs, and clear snow during the winter. If no other City divisions are interested in the older truck it will be placed on auction.

Discussion

The equipment specifications awarded under the Sourcewell Cooperative Buying Group contract meet the requirements for the Parks Division. Hansen International Truck, Inc. of Grand Island, Nebraska submitted a bid for the equipment with no exceptions in the amount of \$84,326.00. The purchase will be funded from capital account 41044401-85625.

Sourcewell Cooperative Buying Group Contract No. 161769
One (1) 2020 CV515 4x4 International Dump Truck: \$84,326.00



Alternatives

It appears that the Council has the following alternatives concerning the issue at hand. The Council may:

1. Move to approve
2. Refer the issue to a Committee
3. Postpone the issue to future date
4. Take no action on the issue

Recommendation

City Administration recommends that the Council approve the purchase of one (1) new dump truck from Hansen International Truck, Inc. of Grand Island, Nebraska. The total purchase price is \$84,326.00.

Sample Motion

Move to approve the purchase of one (1) new dump truck for the Parks Division in the amount of \$84,326.00.

Southern #
161769

Prepared For:
CITY OF GRAND ISLAND
Barry Burrows
100 E 1st St.
Grand Island, NE 68801-6023
(308)385 - 5322
Reference ID: N/A

Presented By:
HANSEN INT'L TRUCK INC
Jeff A Price
3354 STOLLEY PARK ROAD
GRAND ISLAND NE 68803 -
(308)382-2400

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2020 CV515 SFA (CV515)

| | |
|----------------------------------|---|
| AXLE CONFIG: | 4X4 |
| APPLICATION: | Landscape Dump |
| MISSION: | Requested GVWR: 22500. Calc. GVWR: 22500 Calc. Start / Grade Ability: 36.31% / 2.44% @ 55 MPH Calc. Geared Speed: 102.5 MPH |
| DIMENSION: | Wheelbase: 219.00, CA: 137.80, Axle to Frame: 75.00 |
| ENGINE, DIESEL: | {International 6.6} EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) |
| TRANSMISSION, AUTOMATIC: | {Allison 2750 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway |
| AXLE, FRONT DRIVING: | {Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting |
| AXLE, REAR, SINGLE: | {Dana Spicer S16-130} Single Reduction, 15,500-lb Capacity, 190 Wheel Ends Gear Ratio: 4.30 |
| CAB: | Conventional, Day Cab |
| TIRE, FRONT: | (2) 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive |
| TIRE, REAR: | (4) 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive |
| SUSPENSION, REAR, SINGLE: | 15,500-lb Capacity, Vari-Rate Springs |
| PAINT: | Cab schematic 100CX Location 1: 9219, Winter White (Std) Chassis schematic N/A |

| <u>Code</u> | <u>Description</u> |
|-------------|--|
| CV51500 | Base Chassis, Model CV515 SFA with 219.00 Wheelbase, 137.80 CA, and 75.00 Axle to Frame. |
| 1570 | TOW HOOK, FRONT (2) Frame Mounted |
| 1ANB | AXLE CONFIGURATION {Navistar} 4x4 |
| | <u>Notes</u> |
| | : Pricing may change if axle configuration is changed. |
| 1CGH | FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield), Straight Top Flange with Contoured Bottom, Height Transitions from 7.375" (187.325mm) to 9.125" (231.775mm) to 7.625" (193.675mm); Width: 3.079" (78.21mm); Thickness: 0.3125" (7.94mm); 383.3" (9735.8mm) Max OAL |
| 1LEG | LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper |
| 1LRZ | BUMPER, FRONT Contoured, Steel, Painted Black |
| 1WEC | WHEELBASE RANGE 185" (470cm) Through and Including 236" (600cm) |
| 1WND | AF RANGE 50" (128cm) Through and Including 75" (190cm) |
| 2EWA | AXLE, FRONT DRIVING {Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting |
| 2WLC | AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints |
| 3AJN | SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackles Type, 7,500-lb Capacity, with Shock Absorbers |
| 4240 | BRAKE SYSTEM, HYDRAULIC {Bosch} Split System, with Four Channel ABS, Traction Control, Electronic Stability Control, Hydromax Brake Booster with High Speed Master Cylinder and Trailer Sway Control |
| 4EVD | DUST SHIELDS, FRONT BRAKE for Hydraulic Brakes |
| 4EVE | DUST SHIELDS, REAR BRAKE for Hydraulic Brakes |
| 4GBJ | BRAKE, PARKING {Bosch} DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Foot Operated in Cab; Differential Mounted |
| 4XCU | BRAKES, FRONT {Meritor Quadrauc} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 8,000-lb Capacity |
| 4XCV | BRAKES, REAR {Meritor Quadrauc} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 15,500-lb Capacity per Axle |
| 5708 | STEERING COLUMN Tilting |
| 5CBG | STEERING WHEEL 4-Spoke; 15" Dia., Black |
| 5PSS | STEERING GEAR {Bosch S2 8014 Plus} Power |
| 6DHD | DRIVELINE SYSTEM {Dana Spicer} SPL100 Main Driveline, Direct Mount Transfer Case to Transmission, SPL70 Driveline to Front Axle, for 4x4 |
| 7BLL | EXHAUST SYSTEM Horizontal, Frame Mounted Right Side, Under Rail, for Single Exhaust |
| 7SDS | ENGINE EXHAUST BRAKE for International 6.6 Engine |
| 7XAA | MANUAL REGEN Capability |
| 8002 | ELECTRICAL SYSTEM 12-Volt for CV Model |
| | <u>Includes</u> |
| | : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover |
| | : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever |
| | : PARKING LIGHT PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light |

| <u>Code</u> | <u>Description</u> |
|-------------|--|
| | : TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Lever |
| 8GJA | ALTERNATOR {Denso SC2} Brush Type, 12 Volt, 150 Amp Capacity |
| 8HBW | TRAILER BRAKE CONTROL Integrated |
| 8HXV | BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Crew Cab at Left Frame; Includes One Sealed Connector for Separate Ground/Backup/Left and Right Hand Turn, Left and Right Hand Tail/Stop/Accessory Power and Combined for Left and Right Hand Stop/Turn |
| 8MVZ | BATTERY SYSTEM {VARTA} Maintenance-Free, (2) 12-Volt 1100CCA Total, Top Threaded Stud |
| 8RNN | RADIO AM/FM/USB Input/Auxiliary Input/SD Card Slot, with 4.2" Color Touch Panel Display |
| 8RNT | SPEAKERS (4) |
| 8RNY | CAMERA SYSTEM, REAR VIEW Includes Camera, Mounting, Wiring and Interface to the Monitor, for the Back-up Camera System |
| 8TRA | TRAILER CONNECTION SOCKET Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps |
| 8TUL | STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light |
| 8VAY | HORN, ELECTRIC Disc Style |
| 8VVB | BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab |
| 8XJN | HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights |
| 8XJP | SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses |
| 8XJV | CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab |
| 8XJW | STARTING MOTOR 12 Volt |
| 9AAB | LOGOS EXTERIOR Model Badges |
| 9HBZ | GRILLE Molded in Dark Gray |
| 9HCU | RADIATOR STONE GUARD Mounted to Front Bumper |
| 9WAC | BUG SCREEN Mounted Behind Grille |
| 9WAY | FRONT END Tilting, Fiberglass, with Three Piece Construction |
| 9WBS | FENDER EXTENSIONS Molded in Black |
| 10060 | PAINT SCHEMATIC, PT-1 Single Color, Design 100 |
| 10761 | PAINT TYPE Base Coat/Clear Coat, 1-2 Tone |
| 10JPA | CUSTOMER IDENTITY for National Joint Powers Alliance |
| 10XAX | GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs) |
| 12GAG | ENGINE, DIESEL {International 6.6} EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) |
| | <u>Includes</u> : GLOW PLUG Automatic with Indicator Light : OIL FILTER, ENGINE Spin-On Type |
| 12TTM | FAN DRIVE Viscous Type, Screw On, Rear Tether, Electronically Controlled |

| <u>Code</u> | <u>Description</u> |
|-------------|---|
| 12VGC | AIR CLEANER Single Element, with Water Separator |
| 12VHV | FEDERAL EMISSIONS {International 6.6} EPA, OBD and GHG Certified for Calendar Year 2021 |
| 12WGG | THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic Controlled, On/Off Switch Mounted on Dash, with Steering Wheel Button Control |
| 12WUU | GOVERNOR Electronic Road Speed Type; with 75 MPH Default |
| 12WZE | EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations |
| 12XBL | BLOCK HEATER, ENGINE 120V/800W |
| 12XZD | RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 730 SqIn Louvered, with 578 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler |
| 13AXS | TRANSMISSION, AUTOMATIC {Allison 2750 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway |
| 13TLP | TRANSFER CASE {Meritor MTC-3203} 2-Speed, Gear Drive, 3,000 lb-ft Torque Rating, Less PTO Provision, Electric Shift Control |
| | <u>Notes</u> |
| | : Transfer Case Includes 40W Synthetic Lube |
| 13WVV | NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released |
| 13WYY | SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming |
| 13XAM | PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission |
| 14897 | DIFFERENTIAL, LOCKING Torque Proportioning Limited Slip |
| 14AJE | AXLE, REAR, SINGLE {Dana Spicer S16-130} Single Reduction, 15,500-lb Capacity, 190 Wheel Ends . Gear Ratio: 4.30 |
| 14SAE | SUSPENSION, REAR, SINGLE 15,500-lb Capacity, Vari-Rate Springs |
| 14WAP | SHOCK ABSORBERS, REAR (2) |
| 14WMN | AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints |
| 15SZP | FUEL TANK Top Draw, Plastic, Rectangular, 17" Tank Depth, 25 US Gal (95L), Includes Auxiliary Draw Port and Fuel Filler Assembly, Mounted Between Frame Rails and Forward of Rear Axle |
| 15WDZ | DEF TANK 6.75 US Gal (26L) Capacity, Frame Mounted Outside Right Rail, Under Cab |
| 16030 | CAB Conventional, Day Cab |
| | <u>Includes</u> |
| | : CAB DOOR LOCKS Power Door Locks All Doors |
| | : DOME LIGHT, CAB with OFF/DOOR/ON Settings; Located in Overhead Console |
| | : READING LIGHT, CAB Located in Overhead Console |
| | : STEP (2) One Per Door |
| | : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door |
| 16ACA | MIRROR, INSIDE REAR VIEW Omit |
| 16BBA | GLASS, ALL WINDOWS Solar Absorbing, Tint |
| 16CEM | COLOR, INTERIOR Dark Ash |
| 16HCT | GAUGE CLUSTER English Speedometer, Includes English Odometer; Includes 3.5" Monochromatic Display with Personalization, Warning Messages and Vehicle Information |

| <u>Code</u> | <u>Description</u> |
|-------------|--|
| 16KVS | SEAT, DRIVER High Back with Integral Headrest, with Recline, Vinyl, Fixed Lumbar |
| 16LVR | SEAT, TWO-MAN PASSENGER High Back with Integral Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Vinyl, with Recline |
| 16SPS | MIRRORS (2) Manual Folding and Extending, Power Adjust, Heated, Turn Signal Indicator Located in Mirror, Black Heads and Arms, for 96" Load Width |
| 16VKB | CAB INTERIOR TRIM Classic, for Day Cab |
| | <u>Includes</u> : SUN VISOR (2) Vinyl |
| 16WAK | WINDOW, POWER (2) in Left and Right Doors |
| 16XCP | AIR BAG, FRONT, DRIVER SIDE |
| 16XCR | AIR BAG, FRONT, PASSENGER SIDE |
| 16XDE | AIR BAG, SIDE, DRIVER Seat Mounted, Outboard Side-Impact Airbag |
| 16XDG | AIR BAG, SIDE, PASSENGER Seat Mounted, Outboard Side-Impact Airbag |
| 16XDH | AIR BAG, SIDE CURTAIN Roof Mounted, for Front and Rear Outboard Seating Positions for Driver and Passenger Sides |
| 16XZA | AIR CONDITIONER with Heater, Single Zone |
| 27DTX | WHEELS, FRONT {Accuride 50180} DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs |
| 28DTX | WHEELS, REAR {Accuride 50180} DUAL DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs |
| 7779445428 | (2) TIRE, FRONT 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive |
| 7779445428 | (4) TIRE, REAR 225/70R19.5 Load Range G HYBRID HD3 (CONTINENTAL), 647 rev/mile, 87 MPH, Drive |

Services Section:

| | |
|-------|--|
| 40131 | WARRANTY Standard for CV515, Effective with Vehicles Built December 3, 2018 or Later, CTS-3000A 16' Dump Body to be installed at LCL Equipment. Front To Back Tarp |
|-------|--|

| <u>Description</u> | <u>(US DOLLAR)</u> | <u>Price</u> |
|---|--------------------|--------------|
| Factory List Prices: | | |
| Product Items | \$63,062.00 | |
| Service Items | \$0.00 | |
| Total Factory List Price Including Options: | | \$63,062.00 |
| Total Goods Purchased: | | \$25,300.00 |
| Freight | \$1,595.00 | |
| Total Freight: | | \$1,595.00 |
| Total Factory List Price Including Freight: | | \$89,957.00 |
| Less Customer Allowance: | | (\$5,631.00) |
| Total Vehicle Price: | | \$84,326.00 |
| Total Sale Price: | | \$84,326.00 |
| Total Per Vehicle Sales Price: | | \$84,326.00 |
| Net Sales Price: | | \$84,326.00 |

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

RESOLUTION 2020-292

WHEREAS, the Parks Division of the Parks & Recreation Department for the City of Grand Island, budgeted for one (1) new Dump Truck in the 2020/2021 fiscal year; and

WHEREAS, said Dump Truck, one (1) new 2020 CV515 4x4 International Dump Truck can be obtained through the Sourcewell Cooperative Buying Group Contract holder Hansen International; and

WHEREAS, purchasing the dump truck through the Sourcewell Cooperative Buying Group Contract No. 161769 meets all statutory bidding requirements; and

WHEREAS, the funding for such dump truck is provided in the 2020-2021 budget.

NOW, THEREFORE, BE IT RESOLVED BY THE MAYOR AND COUNCIL OF THE CITY OF GRAND ISLAND, NEBRASKA, that the purchase of one (1) new 2020 CV515 4x4 International Dump Truck in the total amount of \$84,326.00 through the Sourcewell Cooperative Buying Group Contract holder Hansen International of Grand Island, Nebraska is hereby approved.

Adopted by the City Council of the City of Grand Island, Nebraska, November 10, 2020.

Roger G. Steele, Mayor

Attest:

RaNae Edwards, City Clerk

| | |
|---------------------|-----------------|
| Approved as to Form | ☒ _____ |
| November 6, 2020 | ☒ City Attorney |