



# Hall County Regional Planning Commission

Wednesday, January 8, 2014

Regular Meeting

## Item 1

### Discussion - Street Standards


Staff Contact: Chad Nabity








DWG: J:\CADD\DETAILS\TYPICAL STREET SECTIONS\CROSS SECTION-INDUSTRIAL.DWG - II X 17 LANDSCAPE



- NOTES:**
1. ALL SUBGRADE AND FILL BELOW PAVEMENT SHALL BE TESTED AND MEET G.I. CITY STANDARD SPECS. FOR DENSITY AND MOISTURE.
  2. 12" TRANSVERSE JOINTS
  3. NO CURB, GUTTER, OR SIDEWALK.
  4. NO PARKING.
  5. INDUSTRIAL STREET.

**INDUSTRIAL STREET**  
TYPICAL 30' PAVEMENT WIDTH



- NOTES:**
1. ALL SUBGRADE AND FILL BELOW PAVEMENT SHALL BE TESTED AND MEET G.I. CITY STANDARD SPECS. FOR DENSITY AND MOISTURE.
  2. 12" TRANSVERSE JOINTS
  3. NO CURB, GUTTER, OR SIDEWALK.
  4. NO PARKING.
  5. INDUSTRIAL COLLECTOR.

**INDUSTRIAL STREET**  
TYPICAL 40' PAVEMENT WIDTH

REVISIONS	DATE	BY	DESCRIPTION

DATE	BY	DESCRIPTION

SURV. BY:	DATE:	DR. BY:	DATE:	CHK. BY:	DATE:	APPR. BY:	DATE:
	12/10/2013	TJY					

**INDUSTRIAL**  
 PAVEMENT CROSS SECTIONS  
 GRAND ISLAND, NEBRASKA

DRAWING NO.:
1

