



Hall County Regional Planning Commission

**Wednesday, June 4, 2014
Regular Meeting**

Item F1

Adoption of Hall County 1 & 6

Staff Contact: Chad Nabity



**2014-2015
FISCAL YEAR**

ONE AND SIX YEAR

ROAD PROGRAM


HALL COUNTY, NEBRASKA

Board of Public Roads Classifications and Standards
**Form 11 Report of Previous Year
 Highway or Street Improvement**

Year Ending: Fiscal - June 30, 2014

Sheet 1 of 1

County: HALL		City:			Village:	
PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	PROJECTED COST (Thousands)	CONTRACT PROJECT	OWN FORCES	DATE COMPLETED (Actual or Estimated)
C40(261)-3	2.0	MILE	500	X		Delay 1 Yr.
C40(369)	0.1	MILE	175		X	6-2014
C40(387)	0.1	MILE	50		X	6-2014
C40(400)	0.1	MILE	20		X	04-2014
C40(401)	0.5	MILE	150	X		08-2013
C40(405)	0.1	MILE	50		X	05-2014
C40(406)	0.1	MILE	50			Deleted
C40(410)	0.1	MILE	5		X	10-2013
C40(411)	0.1	MILE	30		X	10-2013
C40(412)	0.1	MILE	15		X	12-2013
C40(413)	0.1	MILE	10		X	04-2014
C40(414)	0.1	MILE	50		X	12-2013
C40(415)	0.1	MILE	5		X	09-2013
C40(416)	0.1	MILE	30		X	06-2014
C40(417)	0.1	MILE	40		X	05-2014
C40(418)	0.1	MILE	20		X	10-2013
C40(420)	0.1	MILE	10		X	09-2013
C40(421)	0.1	MILE	10		X	08-2013
C40(428)	0.5	MILE	8		X	10-2013
C40(429)	0.1	MILE	60		X	Delay 1 Yr


Signature: 	Title: Hall County Surveyor	Date: June 17, 2014
------------------------------------------------------------------------------------------------	------------------------------------	----------------------------

NBCS Form 11, Jul 96

Board of Public Roads Classifications and Standards
Form 8 Summary of One-Year Plan

Year Ending: Fiscal year end June 30, 2015

Sheet 1 of 1

County: <u>C40 - Hall County</u>		City:		Village:	
PRIORITY NUMBER	PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	ESTIMATED COST (Thousands)	REMARKS
1	C40(261)-3	2.0	MILE	450	New Paving-Local
2	C40(429)	0.1	MILE	60	Intersection-Local
3	C40(133)	0.1	MILE	250	Bridge-Local
4	C40(373)	0.1	MILE	100	CBC, Paving-Local
5	C40(430)	0.1	MILE	20	CMP-Local
6	C40(431)	0.1	MILE	50	Bridge-Local
7	C40(432)	0.1	MILE	10	CMP-Local
8	C40(433)	1.0	MILE	10	Grading-Local
9					
10					
11					
12					
13					
14					
15					
16					
17					
			COUNTY	875	
			OTHER	75	
			TOTAL	950	
Signature: 		Title: <u>Hall County Surveyor</u>		Date: <u>June 17, 2014</u>	

NBCS Form 8, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On a north and south road beginning at the intersection of Webb Road and Abbott Road and at the southeast corner of Section 25, T-12-N, R-10-W; thence northerly 2 miles to the intersection of Webb Road and One-R Road. Webb Road 14V & 14W																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and culverts																		
Average Daily Traffic: 2008 = 410, 2028 = 735		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-1	Surfacing	Thickness: 6" Width: 24.0																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input checked="" type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length:	Type:																
Culvert	Diameter: Length:	Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: 5" x 24' Asphalt or 6" X 24' Concrete																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY	★ CITY																
	450																	
	★ STATE	★ FEDERAL																
	★ OTHER	TOTAL																
		450																
Project Length: (Nearest Tenth, State Unit of Measure) 2.0 miles		Project No.: C40(261)-3																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Intersection of Schultz Road and 130 th Road (Old NE Hwy 11), T-9-N, R-11-W at the intersection of Sections 19, 20, 29, and 30.																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Reconstruction of the intersection of Schultz Road and 130 th Road (Old NE Hwy 11). Remove existing asphaltic concrete surfacing and replace with portland cement concrete surfacing.																		
Average Daily Traffic: 2013 = 418, 2033 = 600		Classification Type: <i>(As shown on Functional Classification Map)</i> Other Arterial (SFC)																
PROPOSED IMPROVEMENT																		
Design Standard Number: ROA1	Surfacing	Thickness: 9" or 10" T.B.D.																
Width: 24' to 28'																		
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input checked="" type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td>.....</td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td>.....</td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td>.....</td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments															
<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length:	Type:																
Culvert	Diameter: Length:	Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: The pavement thickness will depend on the pavement determination during design. The surfacing will be improved from the existing asphaltic concrete that is breaking up and shoving from trucks. The turning radius will be improved from what exists with 2' tapers and 50' radius.																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 60	★ CITY 0.1																
	★ STATE 0.1	★ FEDERAL 0.1																
	★ OTHER 0.1	TOTAL 60																
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1		Project No.: C40(429)																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On a north and south road between Section 31, T-12-N, R-10-W and Section 36, T-12-N, R-11-W of the 6 th P.M., Hall County, NE 80 th Road between Nebraska State Hwy No. 2 and Abbott Road, County Bridge No. 26 U 8																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel and Pony Truss Bridge																		
Average Daily Traffic: 2008 = 35, 2028 = 65		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 90' Type: Conc Deck Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace existing 16' x 50' Truss Bridge with 90' precast slab bridge NDOR STRUCTURE NO. C004022535																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 250	★ CITY																
	★ STATE	★ FEDERAL																
	★ OTHER	TOTAL 250																
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1 miles		Project No.: C40(133)																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Intersection of Engleman Road, Airport Road and Nebr. State Hwy. No. 2. NW 1/4 of Section 2, T 11 N, R 10 W County Bridge No. 18-T-9 County mile: 18T, 37J, & 37H																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Asphalt and Steel Girder Bridge																		
Average Daily Traffic: 2008 = 1000, 2028 = 1500		Classification Type: <i>(As shown on Functional Classification Map)</i> Airport Rd-Other Arterial/ Engleman Rd-Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: ROA1/AASHTO	Surfacing	Thickness: 6" Width: 24'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input checked="" type="checkbox"/> Concrete</td> <td><input checked="" type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input checked="" type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: T.B.D. Length: T.B.D. Type: T.B.D.																	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 25.5' X 50' Steel Girder Bridge with concrete box culvert. Reconstruct south intersection of Engleman Road and Airport Road with Nebr. State Hwy. No. 2 to improve angle of the approach and raise Engleman Road grade to accommodate Central Platte NRD drainage project. NDOR STRUCTURE NO. -C004013311																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 50	★ CITY	★ STATE	★ FEDERAL	★ OTHER 50	TOTAL 100												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1 Mile				Project No.: C40(373)														
Signature:		Title: Hall County Surveyor		Date: June 17, 2014														


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 110 th Road between Holling Road and Schultz Road, between Sections 27 and 28, T-10-N, R-11-W. County Bridge No. 32-H-8																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, wood bridge 19.8' long x 20' wide, Rebuilt 1949																		
Average Daily Traffic: 2014 = 50, 2034 = 100		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-3	Surfacing	Thickness: 2" Width: 20'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: 60" Length: 38' Type: CMP																	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 19.8' long x 20' wide wood bridge with 3-60" x 38' CMP's with headwalls.																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 20	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL 20												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1			Project No.: C40(430)															
Signature: <i>Casey C. Sherlock</i>		Title: Hall County Surveyor		Date: June 17, 2014														

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Wiseman Road between Old Military Road and Holling Road between Section 31, T-10-N, R-12-W and Section 36, T-10-N, R-13W Hall County Structure No. 50-G-4																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, Steel Girder Bridge, asphalt deck on corrugated steel.																		
Average Daily Traffic: 2014 = 250, 2034 = 500		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: 2" Width: 20'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width: 24'	Length: 62' Type: Steel Girder																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Add bent, cast in place concrete deck NDOR STRUCTURE NO. C004010115 Built 1968 1/2 Hall County 1/2 Buffalo County-Buffalo County Number will be determined in 2015.																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 25	★ CITY	★ STATE	★ FEDERAL	★ OTHER 25	TOTAL 50												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1				Project No.: C40(431)														
Signature: 		Title: Hall County Surveyor			Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Rosedale Road between Sections 26 and 35, T-9-N, R-11-W between 90 th Road and Schauppsvill Road County Bridge No. 3-P-5																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Asphalt, 3' x 5' x 24' CBC																		
Average Daily Traffic: 2014 = 300, 2034 = 500		Classification Type: (As shown on Functional Classification Map) Other Arterial																
PROPOSED IMPROVEMENT																		
Design Standard Number: ROA2	Surfacing	Thickness: 6" Width: 24'																
<table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: 36" Length: 44' Type: CMP-w/FES																	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 3' x 5' x 24' CBC with 3-36" CMP's w/FES																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 10	★ CITY 																
	★ STATE 	★ FEDERAL 																
	★ OTHER 	TOTAL 10																
Project Length: (Nearest Tenth, State Unit of Measure) 0.1		Project No.: C40(432)																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project


County: C-40 Hall County	City:	Village:																
Location Description: Monitor Road between Stolley Park Road and Old Potash Highway between Sections 21 and 22, T-11-N, R-10-W. County Mile 20-Q																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, culverts																		
Average Daily Traffic: 2014 = 100, 2034 = 200		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: 2" Width: 20'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length:	Type:																
Culvert	Diameter: Length:	Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: County to reconsruct gravel road																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 10	★ CITY 																
	★ STATE 	★ FEDERAL 																
	★ OTHER 	TOTAL 10																
Project Length: (Nearest Tenth, State Unit of Measure) 1.0		Project No.: C40(433)																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 9 Summary of Six-Year Plan

Six-Year Period Ending: June 30, 2020

Sheet 1 of 2

County: C40 - Hall County		City:		Village:	
PRIORITY NUMBER	PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	ESTIMATED COST (Thousands)	REMARKS
1	C40(135)	0.25	MILE	150	BRIDGE - LOCAL
2	C40(171)-1	0.1	MILE	276	BRIDGE-FED AID
3	C40(300)-2	2.0	MILE	550	PAVING-LOCAL
4	C40(333)	2.5	MILE	162	BRIDGE-LOCAL
5	C40(367)	0.1	MILE	150	BRIDGE - LOCAL
6	C40(371)	0.1	MILE	200	BRIDGE - LOCAL
7	C40(372)	0.1	MILE	125	BRIDGE - LOCAL
8	C40(376)	0.1	MILE	100	BRIDGE - LOCAL
9	C40(378)	0.1	MILE	85	BRIDGE - LOCAL
10	C40(379)	0.1	MILE	85	BRIDGE - LOCAL
11	C40(389)	0.1	MILE	85	BRIDGE - LOCAL
12	C40(391)	0.1	MILE	200	BRIDGE - LOCAL
13	C40(392)	0.1	MILE	300	BRIDGE - LOCAL
14	C40(393)	0.1	MILE	250	BRIDGE - LOCAL
15	C40(409)	0.1	MILE	25	BRIDGE - LOCAL
16	C40(419)	0.1	MILE	30	CONC BOX-LOCAL
17	C40(422)	0.1	MILE	50	CONC BOX-LOCAL
18	C40(423)	0.1	MILE	50	CONC BOX-LOCAL
19	C40(424)	0.1	MILE	30	CONC BOX-LOCAL
20	C40(425)	0.1	MILE	30	CONC BOX-LOCAL
21	C40(121)-2	4.0	MILE	1100	PAVING-LOCAL
22	C40(426)	1.25	MILE	225	PAVING-LOCAL
23	C40(427)	1.00	MILE	225	PAVING-LOCAL
24	C40(434)	0.1	MILE	100	BRIDGE-LOCAL
25	C40(435)	0.1	MILE	100	BRIDGE-LOCAL
Signature: 		Title: Hall County Surveyor		Date: June 17, 2014	

NBCS Form 9, Jul 96

Six-Year Period Ending: June 30, 2020

[illegible]

NBCS Form 9, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On an east and west road between Section 7 & 18, T-11-N, R-11-W of the 6 th P.M., Hall County, NE 13 th Street 33 T 6																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and Bridge																		
Average Daily Traffic: 2008 = 45, 2028 = 90		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-3	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input checked="" type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input checked="" type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input checked="" type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 60' Type: Conc Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace existing 16' x 40' truss bridge, channel change and straighten road																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 150	★ CITY																
	★ STATE	★ FEDERAL																
	★ OTHER	TOTAL 150																
Project Length: (Nearest Tenth, State Unit of Measure) 0.25 mile		Project No.: C40(135)																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On a north and south road between Section 27 & 28, T-12-N, R-10-W of the 6 th P.M., Hall County, NE Monitor Road 20 V 9																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and Bridge																		
Average Daily Traffic: 2008 = 25, 2028 = 45		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-3	Surfacing	Thickness: 0 Width: 0																
<table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30.0	Length: 100.0 ft. Type: Conc Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace existing 16' x 46' truss bridge																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
	28		28	220		276												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1 mile			Project No.: C40(171)-1															
Signature:		Title: Hall County Surveyor		Date: June 17, 2014														

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On a north and south road beginning at the intersection of Engleman Road and Abbott Road; thence 1 mile north. Engleman Road 18 V & 18 W																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and bridge																		
Average Daily Traffic: 2013 = 200, 2033 = 400		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-1	Surfacing	Thickness: 6" Width: 24.0																
<table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Grading</td> <td><input checked="" type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length:	Type:																
Culvert	Diameter: Length:	Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: 5" x 24' Asphalt or 6" X 24' Concrete																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY	★ CITY																
	550																	
		★ STATE																
		★ FEDERAL																
		★ OTHER																
		TOTAL																
		550																
Project Length: (Nearest Tenth, State Unit of Measure) 2.0 miles		Project No.: C40(300)-2																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On a north and south road between Sections 15 & 16, T-10-N, R-11-W of the 6 th P.M., Hall County, NE 110 th Road between US Hwy 30 and Guenther Road Bridge 32 K 8 C004021910																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Existing pony truss bridge on gravel road I																		
Average Daily Traffic: 2013 = 65, 2033 = 115		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: 0 Width: 0																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 31.0	Length: 75.0 Type: Conc. Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace existing 15' 4" x 51' pony truss with 30' x 75' concrete slab bridge																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
	162					162												
Project Length: (Nearest Tenth, State Unit of Measure) 0.5			Project No.: C40(333)															
Signature:			Title: Hall County Surveyor		Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 190 th Road between Old Military Road and Holling Road. Section 32, T 10 N, R 12 W. County mile: 48G 08																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel and Thru Truss Bridge																		
Average Daily Traffic: 2008 = 75, 2028 = 175		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 60' Type: Conc. Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 61' thru truss bridge with 60' X 30' prestressed concrete slab bridge. C004000310																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 150	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL 150												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1 Mile			Project No.: C40(367)															
Signature:			Title: Hall County Surveyor		Date: June 17, 2014													


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 60 th Road between Wildwood Drive and Guenther Road. Section 9, T 10 N, R 10 W County mile: 22L 06																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and Thru Truss Bridge																		
Average Daily Traffic: 2008 = 55, 2028 = 75		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: 2" Width: 20'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 70' Type: Conc. Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 71' thru truss bridge with 70' X 30' prestressed concrete slab bridge. C004012910																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 200	★ CITY 0	★ STATE 0	★ FEDERAL 0	★ OTHER 0	TOTAL 200												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1 Mile			Project No.: C40(371)															
Signature:		Title: Hall County Surveyor			Date: June 17, 2014													


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Sky Park Road between Chapman Road and Prairie Road. Section 11, T 12 N, R 9 W. County mile: 6Y 05																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and Thru Truss Bridge																		
Average Daily Traffic: 2008 = 55, 2028 = 75		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: 2" Width: 20'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 50' Type: Conc. Slab																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: Length: Type:																	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 52' thru truss bridge with 50' X 30' prestressed concrete slab bridge. C004024325																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 125	★ CITY 0	★ STATE 0	★ FEDERAL 0	★ OTHER 0	TOTAL 125												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1 Mile			Project No.: C40(372)															
Signature: 		Title: Hall County Surveyor			Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Schauppsville Road between Capital Avenue and 13 th Street. Section 11, T 11 N, R 11 W. County mile: 30S 04																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and I-beam bridge																		
Average Daily Traffic: 2013 = 175, 2033 = 225		Classification Type: (As shown on Functional Classification Map) Collector																
PROPOSED IMPROVEMENT																		
Design Standard Number: RC-2	Surfacing	Thickness: 2" Width: 20'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 30' Type: Conc. Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 33' X 18.5' - 15" I-beam bridge with 30' X 30' prestressed concrete slab bridge. C004012115																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 100	★ CITY 0	★ STATE 0	★ FEDERAL 0	★ OTHER 0	TOTAL 100												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1 Mile			Project No.: C40(376)															
Signature: 		Title: Hall County Surveyor			Date: June 17, 2014													


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 60 th Road between Barrows Road and Rosedale Road, 0.7 miles north of the SE Corner of Section 32, T-9-N, R-10-W County Mile: 22A07																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel, steel bridge																		
Average Daily Traffic: 2008 = 35, 2008 = 55		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-3	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 30' Type: Precast Conc Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace steel bridge with 30' X 30' precast concrete slab bridge. Bridge built in 1968. C004002903																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 85	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL 85												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1 mile				Project No.: C40(378)														
Signature:		Title: Hall County Surveyor			Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 70 th Road between Barrows Road and roasedale Road. 0.3 miles North of SE Corner of Section 31, T-9-N, R-10-W. County Mile: 24A 03																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, steel bridge																		
Average Daily Traffic: 2008 = 35, 2008 = 55		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-3	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 30' Type: Precast Conc. Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace steel bridge with 30' X 30' precast concrete slab bridge. Bridge built in 1968. C004002703																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 85	★ CITY ★ STATE ★ FEDERAL ★ OTHER TOTAL 85																
Project Length: (Nearest Tenth, State Unit of Measure) 0.1		Project No.: C40(379)																
Signature: 	Title: Hall County Surveyor	Date: June 17, 2014																


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 13 th street between Schauppsville Road and 110 th Road 0.1 mile west of NE corner, Section 15, T-11-N, R-11-W. County Mile: 33Q1																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel 15" I Beam Bridge																		
Average Daily Traffic: 2012 = 60, 2032 = 80		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 30' Type: Precast Conc. Slab																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 15" I beam bridge with 30' X 30' precast concrete slab bridge. C004001815 Bridge built in 1931																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 85	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL 85												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1				Project No.: C40(389)														
Signature:		Title: Hall County Surveyor			Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Old Potash Highway between Cameron Road and McGuire Road. 0.9 mile west of the NE corner. Section 22. T-11-N. R-12-W. County Mile: 31W09																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, concrete box I beam bridge combination.																		
Average Daily Traffic: 2008 = 100, 2008 = 125		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL2	Surfacing	Thickness: 2" Width: 24'																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input checked="" type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input checked="" type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 42' Type: concrete steel																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 41' concrete box and steel I beam combination bridge C004002005 Bridge built in 1928 and 1942																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 200	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL 200												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1 mile				Project No.: C40(391)														
Signature: 		Title: Hall County Surveyor			Date: June 17, 2014													


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Schimmer Drive between BLuff Center Road and 190 th Road. 0.7 mile west of NE corner section 5. T-10-N. R-12-W County Mile: 25Y07																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, I Beam and timber combination bridge.																		
Average Daily Traffic: 2008 = 35, 2008 = 55		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-3	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input checked="" type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input checked="" type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 64' Type: concrete steel																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 64' steel I beam and timber combination bridge. C004002605 Bridge built in 1941																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 300	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL 300												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1 mile			Project No.: C40(392)															
Signature:			Title: Hall County Surveyor		Date: June 17, 2014													


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 80 th Road between Wood River Road and Guenther Road. 0.6 mile North of SE Corner. Section 13. T-10-N. R-11-W County Mile: 26K06																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, 30' Girder Bridge																		
Average Daily Traffic: 2008 = 55, 2008 = 75		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL2	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input checked="" type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input checked="" type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 56' Type: concrete steel																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace steel girder bridge. Bridge is 14'8" wide 55' long. C004002530 Bridge built in 1932																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 250	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL 250												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1 mile				Project No.: C40(393)														
Signature: 		Title: Hall County Surveyor			Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 190 th Road between Schimmer Drive and Husker Highway between sections 31 and 32, T-11-N. R-12-W County Mile: 48N 01																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Existing Surface is Gravel Existing Structure is 10.5' wood bridge in poor condition																		
Average Daily Traffic: 2008 = 55, 2008 = 75		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL2	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input checked="" type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input checked="" type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input checked="" type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input checked="" type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input checked="" type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width: 30'	Length: 11' Type: Precast Concrete																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace 10.5' wood bridge built in 1941 with 11' precast concrete slab bridge.																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 25	★ CITY																
	★ STATE	★ FEDERAL																
	★ OTHER	TOTAL 25																
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1 mile		Project No.: C40(409)																
Signature: 		Title: Hall County Surveyor Date: June 17, 2014																


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Burwick Road, between Stolley Park Road and Old Potash Highway, between Sections 20 and 21, T-11-N, R-11-W, Hall County, Nebraska County Mile: 34Q 08																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel Surface Existing structure is 20' wood bridge in poor condition																		
Average Daily Traffic: 2013 = 75, 2033 = 125		Classification Type: (As shown on Functional Classification Map) Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: 8' Rise: 5' Length: 42'	Type: Twin Conc. Box																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Replace existing 20' wood bridge built in 1928 with Twin 8' X 5' X 42' precast concrete box sections.																		
ESTIMATED COST (in Thousands)	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
★ OPTIONAL	30					30												
Project Length: (Nearest Tenth, State Unit of Measure) 0.1			Project No.: C40(419)															
Signature:		Title: Hall County Surveyor			Date: June 17, 2014													


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:
Location Description: On an east and west road between Sections 14 and 23, T-12-N, R-9-W of the 6 th P.M., Hall County, Nebraska on One-R Road between Quandt Road and Sky Park Road. County Road 43B 03		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Existing 12' span by 6' rise concrete box culvert built in 1930 on a gravel road.		
Average Daily Traffic: 2013 = 45, 2033 = 55		Classification Type: <i>(As shown on Functional Classification Map)</i> Local
PROPOSED IMPROVEMENT		
Design Standard Number: RL-3	Surfacing	Thickness: Gravel Width: 22'
<input checked="" type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right of Way <input type="checkbox"/> Lighting <input checked="" type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks <input type="checkbox"/>		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width:	Length: Type:
Box Culvert	Span: Triple 8' Rise: 5' Length: 36'	Type: CBC
Culvert	Diameter:	Length: Type:
Bridges and Culverts Sized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending	
Other Construction Features: Replace existing narrow concrete box culvert with Triple 8' X 5' X 36' precast concrete box sections		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 50	★ CITY
	★ STATE	★ FEDERAL
	★ OTHER	TOTAL 50
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1		Project No.: C40(422)
Signature: 		Title: Hall County Surveyor Date: June 17, 2014


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:
Location Description: Platte River Drive, between Prosser Road and 110 th Road, in the Northwest Quarter of Sections 21, T-9-N, R-11-W, Hall County, Nebraska County Mile: 7R 08		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel Road Surface Existing structure is 20' I-beam bridge in poor condition.		
Average Daily Traffic: 2013 = 35, 2033 = 75		Classification Type: <i>(As shown on Functional Classification Map)</i> Local
PROPOSED IMPROVEMENT		
Design Standard Number: RL-3	Surfacing	Thickness: Width:
<input checked="" type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right of Way <input type="checkbox"/> Lighting <input checked="" type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks <input type="checkbox"/>		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width:	Length: Type:
Box Culvert	Span: Triple 8' Rise: 5' Length: 36'	Type: triple Conc. Box
Culvert	Diameter:	Length: Type:
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending	
Other Construction Features: Replace existing 20' I-beam bridge with triple 8' X 5' X 36' precast concrete box sections.		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 50	★ CITY
	★ STATE	★ FEDERAL
	★ OTHER	TOTAL 50
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1		Project No.: C40(423)
Signature: 		Title: Hall County Surveyor Date: June 17, 2014


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County		City:		Village:		
Location Description: South Locust Street, between Cedarview Road and Giltner Road, between Sections 3 and 4, T-9-N, R-9-W, Hall County, Nebraska County Mile: 8F 09						
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Asphalt Road Surface Existing structure is 12' X 4' Concrete Box in good condition						
Average Daily Traffic: 2013 = 1000, 2033 = 1500			Classification Type: (As shown on Functional Classification Map) Other Arterial			
PROPOSED IMPROVEMENT						
Design Standard Number: ROA-1		Surfacing		Thickness: Width:		
<input type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks <input type="checkbox"/>						
Bridge to Remain in Place		Roadway Width:		Length: Type:		
New Bridge		Roadway Width:		Length: Type:		
Box Culvert		Span: Twin 6'	Rise: 4'	Length: 48'	Type: Twin Conc. Box	
Culvert		Diameter:		Length: Type:		
Bridges and Culverts Sized		<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending				
Other Construction Features: Addition of twin 6' X 4' X 48' precast concrete box culvert sections along side existing 12' X 4' Concrete Box Structure to increase drainage capacity.						
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
	30					30
Project Length: (Nearest Tenth, State Unit of Measure) 0.1			Project No.: C40(424)			
Signature: 		Title: Hall County Surveyor		Date: June 17, 2014		


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: Cedarview Road, between South Locust Street and Stuhr Road, on the north side of Section 3, T-9-N, R-9-W, Hall County, Nebraska County Mile: 13C 09																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel Road Surface Existing structure is Twin 8' X 4' Concrete Box in good condition																		
Average Daily Traffic: 2013 = 100, 2033 = 150		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-2	Surfacing	Thickness: Width:																
<table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Grading</td> <td><input type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input checked="" type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input checked="" type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:	Twin 6' 4' 40' Twin Conc. Box																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: Addition of twin 6' X 4' X 48' precast concrete box culvert sections along side existing Twin 8' X 4' Concrete Box Structure to increase drainage capacity.																		
ESTIMATED COST <i>(in Thousands)</i>	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
★ OPTIONAL	30					30												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1			Project No.: C40(425)															
Signature: 		Title: Hall County Surveyor			Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On an east and west road beginning at the southwest corner of Section 13, T-12-N, R-11-W; thence easterly 4.0 miles to the southwest corner of Section 15, T-12-N, R-10-W One-R Road 43K, L, M & N																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and Culverts																		
Average Daily Traffic: 2013 = 175, 2033 = 350		Classification Type: (As shown on Functional Classification Map) Other Arterial																
PROPOSED IMPROVEMENT																		
Design Standard Number: ROA-3	Surfacing	Thickness: 6" Width: 24.0																
<table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Grading</td> <td><input checked="" type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: Length: Type:																	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: 5" x 24' Asphalt or 6" X 24' Concretet																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
	1,100					1,100												
Project Length: (Nearest Tenth, State Unit of Measure) 4.0 miles			Project No.: C40(121)-2															
Signature: 			Title: Hall County Surveyor		Date: June 17, 2014													

NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:																
Location Description: 60 th Road between Wildwood Drive and U.S. Hwy. No. 30. Section 4, T 10 N, R 10 W. County mile: 22M																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel and culverts																		
Average Daily Traffic: 2013 = 387, 2033 = 550		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: RL-1	Surfacing	Thickness: 6" Width: 24'																
<table style="width: 100%; border: none;"> <tr> <td><input type="checkbox"/> Grading</td> <td><input checked="" type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/> Asphalt</td> <td><input checked="" type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input checked="" type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length:	Type:																
Culvert	Diameter: Length:	Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: 5" x 24' Asphalt or 6" X 24' Concrete.																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY 225	★ CITY 																
	★ STATE 	★ FEDERAL 																
	★ OTHER 	TOTAL 225																
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 1.25 Miles		Project No.: C40(426)																
Signature:		Title: Hall County Surveyor Date: June 17, 2014																


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C40 - Hall County	City:	Village:																
Location Description: On Stolley Park Road between Shady Bend Road and Gunbarrel Road and along the north line of Section 25, T11-N-, R-9-W of the 6 th P.M., Hall County, NE Stolley Park Road 29A																		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, culverts and bridge																		
Average Daily Traffic: 2013 = 146, 2033 = 175		Classification Type: (As shown on Functional Classification Map) Other Arterial																
PROPOSED IMPROVEMENT																		
Design Standard Number: ROA-3	Surfacing	Thickness: 6" Width: 24.0																
<table style="width: 100%; border: none;"> <tr> <td><input checked="" type="checkbox"/> Grading</td> <td><input checked="" type="checkbox"/> Concrete</td> <td><input type="checkbox"/> Right of Way</td> <td><input type="checkbox"/> Lighting</td> </tr> <tr> <td><input type="checkbox"/> Aggregate</td> <td><input type="checkbox"/> Curb & Gutter</td> <td><input type="checkbox"/> Utility Adjustments</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input type="checkbox"/> Armor Coat</td> <td><input type="checkbox"/> Drainage Structures</td> <td><input type="checkbox"/> Fencing</td> <td><input type="checkbox"/></td> </tr> <tr> <td><input checked="" type="checkbox"/> Asphalt</td> <td><input type="checkbox"/> Erosion Control</td> <td><input type="checkbox"/> Sidewalks</td> <td><input type="checkbox"/></td> </tr> </table>			<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting	<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>	<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>	<input checked="" type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right of Way	<input type="checkbox"/> Lighting															
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>															
<input type="checkbox"/> Armor Coat	<input type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	<input type="checkbox"/>															
<input checked="" type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks	<input type="checkbox"/>															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length:	Type:																
Culvert	Diameter: Length:	Type:																
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																	
Other Construction Features: 5" x 24' Asphalt or 6" X 24' Concrete																		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
	225					225												
Project Length: (Nearest Tenth, State Unit of Measure) 1.0 Miles			Project No.: C40(427)															
Signature:			Title: Hall County Surveyor		Date: June 17, 2014													


NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:
Location Description: Burwick Road between Cedarview Road and Holling Road between Sections 32 & 33, T-10-N, R-11-W County Bridge No. 34-G-3		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel, steel beam, concrete deck bridge Built 1932		
Average Daily Traffic: 2014 = 35, 2034 = 50		Classification Type: (As shown on Functional Classification Map) Local
PROPOSED IMPROVEMENT		
Design Standard Number: RL-3	Surfacing	Thickness: 2" Width: 20'
<input checked="" type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right of Way <input type="checkbox"/> Lighting <input checked="" type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks <input type="checkbox"/>		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width: 30'	Length: 40' Type: CONC SLAB DECK
Box Culvert	Span: Rise:	Length: Type:
Culvert	Diameter:	Length: Type:
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending	
Other Construction Features: Remove bridge built in 1932 and replace with 40' precast concrete deck slab bridge. NDOR STRUCTURE NO. C004011710		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 100	★ CITY
	★ STATE	★ FEDERAL
	★ OTHER	TOTAL 100
Project Length: (Nearest Tenth, State Unit of Measure) 0.1		Project No.: C40(434)
Signature: 		Title: Hall County Surveyor Date: June 17, 2014



NBCS Form 7, Jul 96

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County: C-40 Hall County	City:	Village:
Location Description: Cedarview Road between NE Hwy 11 and Burwick Road between Section 32, T-10-N, R-11-W and Section 5. T-9-N, R-11-W County Bridge No. 13-S-3		
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) Gravel and transverse joist girder bridge		
Average Daily Traffic: 2014 = 35, 2034 = 50		Classification Type: (As shown on Functional Classification Map) Local
PROPOSED IMPROVEMENT		
Design Standard Number: RL-3	Surfacing	Thickness: 2" Width: 20'
<input checked="" type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right of Way <input type="checkbox"/> Lighting <input checked="" type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks <input type="checkbox"/>		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width: 30'	Length: 40' Type: CONC SLAB DECK
Box Culvert	Span: Rise:	Length: Type:
Culvert	Diameter:	Length: Type:
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Hydraulic Analysis Pending	
Other Construction Features: Remove bridge built in 1971 and replace with 40' precast concrete deck slab bridge. NDOR STRUCTURE NO. C004003805		
ESTIMATED COST (in Thousands) ★ OPTIONAL	★ COUNTY 100	★ CITY
	★ STATE	★ FEDERAL
	★ OTHER	TOTAL 100
Project Length: (Nearest Tenth, State Unit of Measure) 0.1		Project No.: C40(435)
Signature: 		Title: Hall County Surveyor Date: June 17, 2014

NBCS Form 7, Jul 96

HALL COUNTY
NEBRASKA
1-YEAR ROAD PROGRAM
FISCAL YEAR 2014-2015



NOT TO SCALE

LEGEND

- ROAD PROJECT
- BRIDGE PROJECT
- COUNTY ROAD - PAVED
- COUNTY ROAD - GRAVEL
- COUNTY ROAD - DIRT
- COUNTY ROAD - MIN. MAINT. GRAVEL
- COUNTY ROAD - MIN. MAINT. PRIMITIVE
- TOWNSHIP ROAD - DIRT
- TOWNSHIP ROAD - GRAVEL
- TOWNSHIP ROAD - NON MAINTAINED
- COUNTY SHOP
- CEMETERY
- STATE FUNCTIONAL CLASSIFICATIONS
- INTERSTATE
- EXPRESSWAY
- MAJOR ARTERIAL
- OTHER ARTERIAL
- COLLECTOR

HALL COUNTY
 NEBRASKA
 6-YEAR ROAD PROGRAM
 FISCAL YEARS 2014-2020

