City of Scottsbluff, Nebraska

Tuesday, January 19, 2016 Regular Meeting

Item Consent2

Council to approve the specifications for a new refuse truck for Environmental Services and authorize the City Clerk to advertise for bids to be received by February 8, 2016 at 1:00 p.m.

Staff Contact: Nathan Johnson, Assistant City Manager

Agenda Statement

Item No.

For Meeting of: January 19, 2016

AGENDA TITLE: Council to approve the purchase of a new refuse truck.

SUBMITTED BY DEPARTMENT/ORGANIZATION: Environmental Services

PRESENTATION BY: City Manager Rick Kuckkahn/ Asst. City Manager Nathan Johnson

SUMMARY EXPLANATION: The Environmental Service Department is requesting approval to purchase a new refuse truck for the department. This will replace an older model

BOARD/COMMISSION RECOMMENDATION:

STAFF RECOMMENDATION: The Environmental Service Department is recommending the approval to purchase a new refuse truck to replace an older existing truck. We will use a current back up truck for a trade in.

		EXHIBITS		
Resolution □	Ordinance □	Contract □	Minutes □	Plan/Map □
Other (specify)	approve the purch	nase of a new refuse t	ruck	
NOTIFICATION LIST: Yes X No □ Further Instructions □ Please list names and addresses required for notification.				
APPROVAL FOR SUBMITTAL: City Manager				

Rev: 11/15/12 City Clerk

CONTRACT DOCUMENTS

FOR SANITATION VEHICLE (Truck, Cab, Chassis and Packer Body)



City of Scottsbluff, Nebraska 2525 Circle Drive Scottsbluff, Nebraska 69361

January 2016

TABLE OF CONTENTS Sanitation Vehicle – Truck, Cab, Chassis, Packer Body and Compactor

Advertisement for Bids	3
Information to Bidders	4
Supplementary Conditions	9
Contract Information	11
Bid Form	12
Specifications Truck, Cab, Chassis	16
	22

CITY OF SCOTTSBLUFF, NEBRASKA ADVERTISEMENT FOR BIDS LANDFILL TRUCK, CAB, & CHASSIS - SANITATION TRUCK

The City of Scottsbluff will receive sealed bids until 1:00 p.m., (M.S.T.) Monday, February 8, 2016, at the City of Scottsbluff City Hall, Office of the City Clerk, 2525 Circle Drive, Scottsbluff, Nebraska 69361. All bids will be publicly opened and read aloud for furnishing a new Sanitation Vehicle complete with truck, cab, chassis, and Packer Compactor body on February 8, 2016 at 1:00 p.m. (M.S.T.).

Complete contract/bidding documents are available and may be obtained from the City of Scottsbluff at the above referenced address. Bids shall be submitted in a sealed envelope addressed to the City of Scottsbluff with the name "Bid for Sanitation Vehicle" and include the date and time of bid opening.

The City reserves the right to reject any and/or all proposals, waive any informality in the proposals received and to accept the proposals it deems most beneficial to the City.

/s/Cindy Dickinson, City Clerk

Publish 3F: January 22, 2016

January 29, 2016 February 5, 2016

INFORMATION TO BIDDERS

Bids will be received by the City of Scottsbluff, Office of the City Clerk (hereinafter called the 'OWNER'), at the City of Scottsbluff, 2525 Circle Drive, Scottsbluff, Nebraska 69361 in accordance with the advertisement for bids and then publicly opened and read aloud.

DEFINED TERMS

Terms used in these Instructions to Bidders which are defined in the Standard General Conditions of the Construction Contract have the meanings assigned to them in the General Conditions.

The term 'Bidder' means one who submits a Bid directly to OWNER, as distinct from a sub-bidder, who submits a bid to a Bidder.

The term 'Successful Bidder' means the lowest, qualified, responsible and responsive Bidder to whom OWNER (on the basis of OWNER's evaluation as hereinafter provided) makes an award.

The term 'Bidding Documents' includes the Advertisement or Invitation to Bid, instructions to Bidder, the Bid Form, and the proposed Contract Documents (including all Addenda issued prior to receipt of Bids).

COPIES OF BIDDING DOCUMENTS

Complete sets of the Bidding Documents in the number and for the deposit sum, if any, stated in the Advertisement or Invitation to Bid may be obtained from the City of Scottsbluff.

Complete sets of Bidding Documents must be used in preparing Bids; OWNER does not assume any responsibility for errors or misinterpretations resulting from the use of incomplete sets of Bidding Documents.

OWNER in making copies of Bidding Documents available on the above terms do so only for the purpose of obtaining Bids on the Work/Supply of Equipment and do not confer a license or grant for any other use.

EXAMINATION OF CONTRACT DOCUMENTS AND SITE

It is the responsibility of each Bidder before submitting a Bid, to:

Examine the Contract Documents thoroughly,

Consider Federal, State and Local Laws and Regulations that may affect cost, progress, performance or furnishing of the Work,

Study and carefully correlate Bidder's observations with the Contract Documents, and

Notify Director of Environmental Services of all conflicts, errors or discrepancies in the Contract Documents.

Sanitation Truck Specs 2016

The submission of a Bid will constitute an incontrovertible representation by Bidder that Bidder has complied with every requirement of this Request for Bids, that without exception the Bid is premised upon performing and furnishing the Work (work and supply of equipment are of the same meaning throughout this document) required by the Contract Documents, and such means, methods, techniques, sequences and procedures as may be indicated in or required by the Contract Documents, and that the Contract Documents are sufficient in scope and detail to indicate and convey understanding of all terms and conditions for performance and furnishing for the Work.

Reference is made to the Supplementary Conditions for identification of:

Provisions concerning responsibilities for the adequacy of data furnished to prospective Bidders on possible changes in the Contract Documents due to differing conditions.

INTERPRETATIONS AND ADDENDA

All questions about the meaning or intent of the Contract Documents are to be directed to the Director of Environmental Services. Interpretations or clarifications considered necessary by Director of Environmental Services in response to such questions will be issued by Addenda mailed or delivered to all parties recorded by Director of Environmental Services as having received the Bidding Documents. Questions received less than ten (10) days prior to the date for opening of Bids may not be binding. Oral and other interpretations or clarifications will be without legal effect.

Addenda may also be issued to modify the Bidding Documents as deemed advisable by OWNER.

SUBMISSION OF BIDS

Bids shall be submitted at the time and place indicated in the Advertisement or Invitation to Bid and shall be enclosed in an opaque sealed envelope, marked with the Project title and name and address of the Bidder and accompanied by the Bid security and other required documents. If the Bid is sent through the mail or other delivery system, the sealed envelope shall be enclosed in a separate envelope with the notation "BID ENCLOSED" on the face of the envelope.

BIDS TO REMAIN SUBJECT TO ACCEPTANCE

All bids will remain subject to acceptance for sixty (60) days after the day of the Bid opening, but OWNER may, in its sole discretion, release any Bid and return the Bid security prior to that date.

BID FORM

The Bid Form is included with the Bidding Documents; additional copies may be obtained from the City or of Scottsbluff.

All blanks on the Bid Form <u>must</u> be completed in ink or typed.

Sanitation Truck Specs 2016

Bids by corporations must be executed in the corporate name by the president or vice-president (or other corporate officer accompanied by evidence of authority to sign) and the corporate seal must be affixed and attested by the secretary or an assistant secretary. The corporate address and state of incorporation must be shown below the signature.

Bids by partnerships must be executed in the partnership name and signed by a partner, whose title must appear under the signature and the official address of the partnership must be shown below the signature.

All names must be typed or printed below the signature.

The Bid shall contain an acknowledgment of receipt of all Addenda (the numbers of which must be filled in on the Bid Form).

The address and telephone number for communication regarding the Bid must be shown.

QUALIFICATIONS OF BIDDERS

Dealer furnishing the complete vehicle as stated herein must be an authorized franchise dealer and full service center licensed for the type of truck to be furnished. Dealer shall be located within a fifty mile radius of Scottsbluff, Nebraska.

Equipment suppliers shall have a minimum of two years as a factory authorized dealer/distributor and service center stocking parts and providing service.

CONTRACT TIME

The number of days within which, or the dates by which, the Work is to be completed is set forth in the Bid Form and Agreement.

LIQUIDATED DAMAGES

Provisions for liquidated damages, if any, are set forth in the Agreement.

SUBSTITUTE OR 'OR-EQUAL' ITEMS

The Contract, if awarded, will be on the basis of materials and equipment described in the Specifications without consideration of possible substitute or 'no-equal' items. Whenever it is indicated in the Specifications that a substitute or 'or-equal' item of material or equipment may be furnished or used by CONTRACTOR if acceptable to Engineer, application for such acceptance will not be considered by Engineer until after the Effective Date of the Agreement. The procedure for submission of any such application by CONTRACTOR and consideration by Engineer is set forth herein and may be supplemented in the General Requirements.

SUBCONTRACTORS, SUPPLIERS AND OTHERS

No CONTRACTOR shall be required to employ any Subcontractor, Supplier, other person or organization against whom CONTRACTOR has reasonable objection.

NOTIFICATION AND WITHDRAWAL OF BIDS

Bids may be modified or withdrawn by an appropriate document duly executed (in the manner that a Bid must be executed) and delivered to the place where Bids are submitted at any time prior to the opening of Bids.

OPENING OF BIDS

Bids will be opened and (unless obviously non-responsive) publically opened and read aloud. An abstract of the amounts of the base Bids and major alternates (if any) will be made available to Bidders after the opening of Bids.

AWARD OF CONTRACT

OWNER reserves the right to reject any and all Bids, to waive any and all informalities not involving price, time or changes in Work and to negotiate contract terms with the Successful Bidder, and the right to disregard all nonconforming, non-responsive, unbalanced or conditional Bids. OWNER also reserves the right to reject the Bid of any Bidder if OWNER believes that it would not be in the best interest of the City and/or Project to make an award to that Bidder, whether because the Bid is not responsive or the Bidder is unqualified or if doubtful financial ability or fails to meet any other pertinent standard or criteria established by OWNER. Discrepancies in the multiplication of units of Work and unit price will be resolved in favor of the written unit prices. Discrepancies between the indicated sum of any column of figures and the correct sum thereof will be resolved in favor of the correct sum.

Sanitation Truck Specs 2016

In evaluating Bids, OWNER will consider the qualifications of the Bidders, whether or not the Bids comply with the prescribed requirements, and such alternates, unit prices and other data, as may be requested in the Bid Form or prior to the Notice of Award.

OWNER may consider the qualifications and experience of Subcontractors, Suppliers, and other persons and organizations proposed for those portions of the Work as to which the identity of Subcontractors, Suppliers, and other persons and organizations must be submitted as provided in the Supplementary Conditions. OWNER also may consider the operating costs, maintenance requirements, performance data and guarantees of major items of materials and equipment proposed for incorporation in the Work when such data is required to be submitted prior to the Notice of Award.

OWNER may conduct such investigations as OWNER deems necessary to assist in the evaluation of any Bid and to establish the responsibility, qualifications and financial ability of Bidders, proposed Subcontractors, Suppliers and other persons and organizations to perform and furnish the Work/Equipment in accordance with the Contract Documents to OWNER's satisfaction within the prescribed time.

If the contract is to be awarded, it will be awarded to the Bidder whose evaluation by OWNER indicates to OWNER that the award will be in the best interest of the Project. The right is reserved in the interest of the City of Scottsbluff to reject any or all Bids and to waive any informality in the Bids received.

If the contract is to be awarded, OWNER will give the Successful Bidder a Notice of Award within sixty (60) days after the day of the Bid opening.

SIGNING OF AGREEMENT

When OWNER gives a Notice of Award to the Successful Bidder, it will be accompanied by the required number of unsigned counterparts of the Agreement with all other written Contract Documents attached. Within fifteen (15) days thereafter, CONTRACTOR shall sign and deliver the required number of counterparts of the Agreement and attached documents to OWNER with the required Bonds. Within ten (10) days thereafter OWNER shall deliver one (1) fully signed counterpart to CONTRACTOR.

SUPPLEMENTARY CONDITIONS

GENERAL

The General Conditions included herein are modified as follows:

ARTICLE 4 - PAYMENTS TO CONTRACTOR AND COMPLETION

The City will make payment within thirty (30) days of receipt and approval of equipment.

ARTICLE 5 - BOND AND INSURANCE

It is the sole responsibility of the Subcontractors, Suppliers, and other persons and organizations to provide full insurance on all equipment described herein while vehicle is in their possession until delivery and final acceptance by the City's, Director of Environmental Services.

CONTRACTORS RESPONSIBILITY & FURNISHED ITEMS

Truck Chassis:

The City will require that the equipment be furnished within the following time schedule:

The bidder shall be required to deliver the vehicle within ninety (90) calendar days of the date of the Notice of Award. If the bidder cannot meet this schedule, the bidder shall so note on the Bid/Ouotation Form.

Company providing chassis will be responsible for delivering chassis to awarded Packer Body company. Company providing chassis is responsible for notifying City of Scottsbluff when chassis is delivered to Packer Body Company.

If the vehicle is not delivered on or before the date as stated herein for completion, or as may be extended by the City, the Bidder/Supplier shall pay the Owner liquidated damages in the amount of \$100.00 per day for each and every consecutive calendar day that the equipment has not been delivered/incomplete after the date set for completion or the date noted by the Bidder on the Bid/Quotation Form in the event the City deems this necessary.

Packer Body:

The City will require that the equipment be furnished within the following time schedule:

The bidder shall be required to deliver the Packer body within forty (40) calendar days of the date of the delivery of the chassis to the Packer body company. If the bidder cannot meet this schedule he shall so note on the Bid/Quotation Form.

The completed equipment, truck, chassis and Packer body shall be delivered to the City of Scottsbluff- Environmental Services located at 609 E. 2nd Street, Scottsbluff, NE 69361.

If the Packer body is not delivered on or before the date fixed for completion, or as may be

Sanitation Truck Specs 2016

extended by the City, the contractor shall pay the OWNER liquidated damages in the amount of \$100.00 per day for each every consecutive calendar day that the equipment has not been delivered/incomplete after the date set for completion or the date noted by the Bidder on the Bid/Quotation Form in the event the City deems this necessary.

DELIVERY AND MANUFACTURER WARRANTY

Chassis and Packer body manufacturers shall each provide two hours of instruction at the City of Scottsbluff- Environmental Services located at 609 E. 2nd Street, Scottsbluff, NE 69361.

Suppliers shall include a minimum of two hours operational and maintenance instruction to be performed upon delivery of the complete unit. The supplier shall notify the City in advance for scheduling the introductory operations. Two copies of operational manuals and parts books shall be furnished with the equipment upon final delivery.

A copy of the manufacturer warranty and brief summary shall be provided with all equipment at the time of delivery. The Truck warranty shall be a minimum of 24 months bumper to bumper and the Packer Body a minimum of 12 months.

POINTS OF CONTACT

City of Scottsbluff	Anthony Harris, Director of Environmental Services,
2525 Circle Drive	(308) 630-0879
Scottsbluff, NE 69361	Wayne Lund, Lead Maintenance Mechanic, (308) 630-6268

CONTRACT INFORMATION

Sanitation Truck Specs 2016

BID FORM

1. PROJECT: Bidding documents for a "New Sanitation Truck including, Cab, Chassis, Packer Body and Compactor for the City of Scottsbluff, Nebraska.

2. THIS BID IS SUBMITTED TO: City of Scottsbluff

2525 Circle Drive

Scottsbluff, Nebraska 69361 Telephone: (308) 630-6221 Fax: (308) 630-6294

- 3. The undersigned BIDDER proposes and agrees, if this Bid is accepted, to enter into an agreement with OWNER, in the form included in the Contract Documents, to supply a new Sanitation Truck as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid, and in accordance with the other terms and conditions of the Contract Documents.
 - 4. BIDDER accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for forty-five (45) days after the day of the Bid opening. BIDDER shall sign and submit the Agreement with the Bonds (if applicable) and other documents required by the Bidding Requirements within fifteen (15) days after the date of OWNER's Notice of Award.
 - 5. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:
 - 6. BIDDER has examined copies of all the Bidding Documents and or the following Addenda (receipt of all which is hereby acknowledged):

ADDENDUM NUMBER(S)	DATED

- 7. BIDDER is familiarized with the nature and extent of the Contract Documents. and all local conditions and Laws and Regulations that in any manner may affect cost, progress, performance or furnishing of the work.
- 8. BIDDER has given OWNER written notice of all conflicts, errors or discrepancies that it has discovered in the Contract Documents and the written resolution thereof by OWNER is acceptable to BIDDER.

Sanitation Truck Specs 2016

- 9. This bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain from itself any advantage over any other Bidder or over OWNER.
- 10. Other representation required by Laws and Regulations.
- 11. BIDDER will supply the equipment as set forth in the Contract Documents for the following prices.
- 12. BIDDER agrees that the completion of work will be as follows:

The bidder shall be required to deliver the vehicle within ninety (90) calendar days of the date of the Notice of Award. If the bidder cannot meet this schedule, the bidder shall so note on the Bid/Quotation Form.

If other completion dates are proposed, please list as an exception following:

List – other completion/delivery date

- 13. If no exception is taken to the specified completion, the OWNER and CONTRACTOR agree that as liquidated damages for delay (but not as penalty) CONTRACTOR shall pay OWNER One Hundred Dollars (\$100.00) per day for each day that expires after the time specified until the work is complete.
- 14. The terms used in this Bid which are defined in the General Conditions of the Construction Contract included as part of the Contract Documents have the meanings assigned to them in the General Conditions.

BID FORM TRUCK, CAB & CHASSIS SANITATION VEHICLE

The bidder proposes and agrees, if the bid is accepted, to furnish equipment meeting or exceeding the minimum specifications specified for the contract price and within the time indicated in this bid. This bid will remain subject to acceptance for thirty (30) days after the date of bid opening.

Bidder shall supply all shop drawings of truck, cab and chassis.

Bidder shall use and complete all items on the bid forms.

A copy of the manufacturer's warranty shall be attached to the bid forms (minimum 2 years).

TRUCK, CAB & CHASSIS SANITATION VEHICLE

Includes furnishing, servicing, and delivering to Packer Body Company operation and maintenance instruction and all other items necessary to complete the equipment transaction; except those items specifically listed hereafter for the following Lump Sum Price:

1 each at:	
	\$
(Words - Lump Sum Price)	\$ (Figures L.S.)
List: Make and Model:	
Delivery if other than 90 calendar days: (specify): _	Total Calendar Days
List: Factory Authorized Parts & Service Center	
Address CONTACTS:	Years at Present Location
Parts:	Service:
Telephone:	Telephone:
Sanitation Truck Specs 2016	Page 14

PACKER BODY & COMPACTOR

Packer Body & Compactor

The bidder proposes and agrees, if the bid is accepted, to furnish equipment meeting or exceeding the minimum specifications specified for the contract price and within the time indicated in this bid – Champion Square Body or equal. This bid will remain subject to acceptance for thirty (30) days after the date of bid opening.

A copy of the manufacturer's warranty shall be attached to the bid forms.

1 each at:	
(Words - Lump Sum Price)	\$ (Figures L.S
Manufacturer:	
Model:	
DELIVERY (40 calendar days specified): After receipt of truck (cab and chassis) Total	Calendar Days

SPECIFICATION TRUCK, CAB, CHASSIS, & DUMP BODY

GENERAL

The truck, cab, and chassis shall be capable of carrying a minimum nine (9) ton payload and shall be new, with twin screw type tandem axle and shall be modified by the bidder to be compatible with the Packer body and compactor unit.

			Details/Specified Unit Proposed By Bidder
TRU	CK, CA	B MINIMUM SPECIFICATIONS	
MAF	KE:		
MOI	DEL:		
MIN	IMUM S	SPECIFICATIONS	
1.	OPER	RATING WEIGHT:	
		G.V.W. minimum of 60,000 pounds	
	Axle r	ratings:	
		Front axle minimum 16,000 pounds	
		Rear axle 40,000 pounds (twin screw tandem)	
		Single speed with ratio compatible with engine and transmissions	
		Equipped with manual differential lock from cab	
2.	SUSP	ENSIONS:	
		Heavy duty front shock absorbers	
		Heavy duty rear shock absorbers 40,000# or equivalent	
		Spring rating 20,000 pounds flat leaf front	
		Spring rating 40,000 pounds rear	
		Oil lubricated front wheel and rear wheel hubs	
		Fore/Aft/Transverse/Control Rods	

Sanitation Truck Specs 2016

	Axle Related Items:	
	☐ Greaseable drag link and tie rods	
	□ 56 inch axle spacing	
_		
3.	BRAKES:	
	☐ ABS with diagnostics without traction	
	enhancement	
	Air brakes front and rear	
	Bendix, AD-9, air dryer with heater mounted under cab	
	All brake linings non-asbestos	
	☐ Equipped with air parking brake	
	☐ Manual drain cocks on air tanks	
4.	TRANSMISSION:	
••	☐ Allison Automatic transmission 6 speed	
	With auto-neutral option & PTO provision	
	☐ Transmission oil cooler	
	☐ Equipped with transmission filter	
POW	ER TRAIN	
_	ENICURIE.	
5.	ENGINE:	
	□ CUM ISC-350 350 HP @ 2000 RPM; 2200 GOV, 1000 LB/FT @ 1400 RPM	
	☐ Engine mounted oil check and fill	
	□ DR 12V 160 AMP Quadra mount Pad Alternator	
	With remote battery volt sense	
	☐ Full flow oil filter	
	☐ Electronic engine integral shutdown protection system	
6.	ENGINE EQUIPMENT:	
	□ DELCO 12V 38MT HD starter with integrated	
	Magnetic switch	
	☐ Air cleaner dry type	
	☐ Coolant filter/conditioner, fleet guard spin-on	
	type	
	Coolant recovery system	
	Cooling system capacity heavy duty radiator	
	Heavy duty radiator for hydraulic pump	
	Engine block heater, 1,00 watt 115 volt	
	Exhaust system single vertical exhaustSystem with muffler	
	☐ Clutch fan	
	☐ Fuel water separator filter	
	Oil cooler, engine mounted disposable oil filter	

7.	STEERING:			
		Power steering will be furnished		
8.	TIR	E/WHEELS:		
		Front tires 16 ply radials tubeless w/all season tread		
		Rear tires 16 ply radials tubeless extra waste		
		Handler lugs style		
		Wheels- 10 hole white steel disc- hub ported style		
		One (1) spare tire 16 ply & wheel as specified above		
		For rear tires		
9.	FUE	L TANK:		
		Steel, 70 gallon (minimum) 25 inch diameter type tank		
10.	FRA	ME:		
		Two (2) front and rear mounted tow hooks		
		bolted to frame.		
11.	ELE	CTRICAL SYSTEM:		
		Two (2) batteries minimum of 1500 cold cranking Amps		
		PTO mode brake override – service brake applied		
		Or park brake not applied		
		PTO mode cancel vehicle speed – 5 MPH		
12.	CAB	BEQUIPMENT:		
		Standard conventional with tilting hood and fenders		
		Two (2) dual 7" x 16" side mounted with round spotting		
		mirrors, with extra left hand spot mirror – 8" and two		
		extra spot mirror on right side.		
		High back air ride seat on driver's side with arm rest		
		Rest on both sides		
		High back air ride seat on passenger side with arm		
		Rest on both sides		
		Standard high back seat passenger side		
		Seat belts retractable to lap and shoulder, seats Heavy duty vinyl seats		
		Rubber floor mats.		
		Sun visors		
		2		
		Assistive handle for easy access to cab Windshield wipers intermittent speed equipped	-	
		with windshield washer		
		Interior dome lamp w/integral 3 way activated		
		Switch by driver's door		
		12 volt dash mounted electrical outlet		
		Single air horn, single electric horn		
		Keyed lockable doors		

	☐ Cab constructed of steel or aluminum or combination	
	☐ Cab framing reinforced floor	
	☐ Cab mounts two point hinges	
	☐ Bumper full width wrap around	
	☐ Headlights equipped with turn signal lights front	
	and back and switches, warning lights with buzzers	
	☐ Integral stop/tail/backup lights	
	☐ Steering wheel size approximate 18"	
	☐ Mud flaps, front and read duals	
	☐ Colored flat screen monitor shall be mounted in the	
	Cab and be fully adjustable with split screen option so	
	all camera views can be displayed at one time and	
	automatically switch to full screen back up camera	
	when unit is shifted to reverse	
13.	INSTRUMENT PANEL AND GAUGES:	
13.	☐ Circuit protectors, self-resetting circuit breakers	
	☐ Electronic engine hour meter	
	☐ Electronic tachometer	
	□ Dual air pressure gauge with buzzer	
	☐ Engine coolant temperature gauge	
	☐ Transmission temperature gauge	
	☐ Engine oil pressure gauge	
	☐ Fuel gauge	
	□ Speedometer	
	□ Voltmeter	
	☐ Instrument panel, adjustable lighting	
	☐ Equipped with clearance lights and ID lights	
	7 11	
14.	<u>CAMERAS:</u>	
	☐ Two (2) Color Cameras will be provided:	
	1 st mounted on the tailgate below the strobe light	
	2 nd mounted in the hopper area	
	☐ The Cameras' shall be Safety Vision	
	☐ Protective cases shall be provided for the cameras	
	☐ All Cameras' shall have shields to minimize sun glare	
15	ODED A TOD ENVIDONMENT.	
15.	OPERATOR ENVIRONMENT: Heavy duty heater and defrector	
	Heavy duty heater and defrosterAM/FM Stereo Radio with AUX port	
	☐ Air conditioning/heavy duty blower	
	An conditioning/neavy duty blower	
16.	HYDRAULIC SYSTEM:	
	The hydraulic system should be composed of 2 vane	
	pumps, one for body functions, and one for arm	
	r r r r r r r r r r r r r r r r r r r	

	functions. Pumps have a common suction. Hydraulic	
	pump model is Denision T6DC. D cartridge is for body	
	function, C cartridge is for arm function. The hydraulic	
	pressure body line shall be made up of Denison ECO	
	system with a 12 volt DC in line mounted solenoid	
	which diverts the flow back to the Inlet when the pump	
	is not engaged and a flow control block which diverts	
	excess flow back to the inlet. Body functions pump	
	maxium flow is 30 gpm @ 700 rpm. Hydraulic system	
	pressure relief for the body is 2500 psi and for the arm it	
	is 2000 psi.	
	An oil sight level gauge to permit visual determination	
	Of the oil in the reservoir	
	Hydraulic system shall be equipped with a hydraulic	
	Oil filter on the return line inside on the top of the tank	
	With a 100 wire mesh suction strainer	
	There will be a high pressure in-line filter of 10 micron	
	Capability in the pressure line ahead of the main control	
	valve. The filter will be of the replaceable element type	
	Hydraulic system will be equipped with a pressure	
	detection device to ensure a maximum of 2500 psi	
	operating pressure	
	The hydraulic system shall operate at a pressure of	
	1800 psi and shall be capable of operating at a	
	pressure of 2000 psi	
PAIN	TING:	
	Minimum one coat of primer and finish coat of white	
	in color	
	Frame standard black chassis paint	
	Front and rear wheels paint - vendor white	
	Tront and real wheels paint vendor write	
MISC	CELLANEOUS:	
	Back up alarm	
	Triangle reflectors	
	Five pound fire extinguisher mounted in cab	
	First aid kit	
	Two (2) complete sets of parts, service, and operator's	
	manuals	
WAR	RRANTY:	
	List manufacturers standard warranty	
	Bidder shall attach copy of warranty	
	Minimum two year basic vehicle warranty	
	Two year unlimited warranty on engine	
	Two year unlimited warranty on drive train	
	components, transmission, drive axles (differential	
	•	

17.

18.

19.

assemblies, axle shaft and axle housings), steering axles	
(beam, spindles, kingpins, bearings), and steering arms	
Two year unlimited cab structure and sheet metal	
(conventional hood)	
Five year unlimited warranty cab corrosion	
Five year unlimited warranty frame rails and cross	
members	
List optional warranties and cost	
Repairs must be made in the first two years with	
unlimited warranty and completed in no more than	
two (2) calendar days at no charge to customer	
Towing included for the 1 st two (2) years	

SPECIFICATIONS PACKER BODY & COMPACTOR

it is the intent of this specification to describe a hydraulically actuated refuse packer body with the following minimum specifications considered necessary to perform the work assigned and will be the product of a manufacturer actively engaged in the production of refuse collection equipment and will embody their latest improvements in design and construction. They body's construction and specifications shall be in compliance with the applicable standards as promulgated by the American National Standards Institute (ANSI Z245.1)

GENERAL

The compactor body is an automated container loading and dumping device and shall meet Square Box Specifications or equal and will have a minimum capacity of 33 cubic yards and be capable of compacting refuse and ejecting refuse from the body in a stationary manner. The receiving hopper area will be approximately 6 cubic yards and will accommodate up to and including 6 cubic yard side-load containers without damage.

<u>MINI</u>	MUM S	SPECIFICATIONS:	Details/Specified Unit Proposed by Bidder
1.	BODY	Y CONSTRUCTION:	
		Body Capacity – 33 CY including rear tailgate	
		and hopper Capacity	
		Hopper – at least 6 CY usable capacity with Hopper sides	
		of a flat design with horizontal channel reinforcing	
		lower panel to be a minimum of 3/16"—A572 Grade	
		50-50,000 psi minimum yield and Upper panel to	
		be a minimum 10 gauge-A572 Grade 50	
		-50,000 psi minimum yield Hopper floor to be constructed of ¹ / ₄ "-AR400-140,000	
		psi minimum yield strength abrasion resistant steel	
		reinforced with a combination of ½"–A38HR–36,000	
		psi yield strength steel. Body sill under the hopper area	
		to be ½"–46,000 psi yield strength steel with a 10"	
		cross section	
		Tailgate will be constructed with 10 Gauge 50, 000 psi	
		yield Strength Steel	
		Compacter plate shall be hydraulically activated	
		The compaction plate shall be constructed of 1/4"	
		thick- 50,000 psi strength steel reinforced with	
		vertical and horizontal boxed sections	
		The body is to be equipped with a hinge access door	
		located on the side opposite the container loader.	
		Body shall have a rear under ride guard	
		Body shall have tailgate support props	

		Rear mud flaps and rear fenders	
		Remote lubrication system accessible from ground level	
		Hand rails and steps or ladder for easy access included	
	_		
2.	TAIL	GATE:	
		Tailgate should be top-hinged and hydraulically raised/	
	_	lowered/locked with two hydraulic cylinders.	
		The tailgate shall be operated from a control switch	
	_	located within easy reach of the operator inside the cab.	
		The lower inside perimeter shall be equipped with a	
		replaceable watertight seal.	-
		Unit will have an audible warning buzzer when the	
		tailgate is unlocked and while being raised/lowered.	-
		Rear door locks – the rear door shall be secured by	
		locks at two points on the lower perimeter.	-
		The locks shall be actuated by a hydraulic cylinder	
		The rear door shall be automatically latched and	
		unlatched in sequence with the rear door hydraulic	
		lift cylinders	
		int Of interior	
3.	CON	TAINER LOADER:	
		The container loader used in conjunction with the	
		compaction body will provide means to pick up, dump	
		and return to the ground 1 1/2 through 4 cubic yard	
		EMCO "hook style "containers	
		The container loader will be rated at 3,000 pounds	
		lifting capacity	
		Container loader shall be actuated by two hydraulic	
		cylinders and shall raise the lift carriage to the	
		dump position and return to the disengage position	
		All movements of the loader (up, down, in, out) are	
		to be accomplished with no more than three (3)	
		cylinders	
		Loader is to be operated with dual air controls located	
		within easy reach of the operator. These controls	
		shall be of a "light" touch design. Cables or chains	
		will not be acceptable	
		The container loader shall be capable of extending	
		outward from the fully collapsed position a minimum	
		of 40 inches in a horizontal plane	
		The track reach (extend/retract) shall be actuated by	
		a hydraulic cylinder	
		The operator must have unrestricted view of the Packer	
		plate from inside the cab	
		Hydraulic reservoir behind cab not acceptable	

PA (CKING MECHANISM:			
	The Packer plate shall be actuated by two			
	hydraulic cylinders mounted in the horizontal plane.			
	The cylinder shall be connected to the Packer plate			
	by trunion mountings			
	The Packer plate shall be capable of traversing the			
	entire length of the body			
	The packing mechanism shall operate such that the			
	pack cycle terminates automatically prior to the			
	Packer plate contacting the rear door			
PAINTING:				
	Two (2) coats of rust inhibiting primer are to be			
	applied prior to the finish coat white in color to match			
	cab			
	Body shall be properly prepared free from weld slag,			
	greases and oils			
MISCELLANEOUS:				
	Should be equipped with ladder on Packer body			
	The compaction body shall have all necessary	-		
	warning decals, lights and reflectors to meet State			
	and Federal highway standards			
	Additional working lighting should be provided			
	Equipped with front and rear strobe lights on body			
	that has separate switch in cab			
	Equipped with spot light mounted on back of body			
	hooked to backup lights			
WARRANTY:				
	List manufacturer's standard warranty			
	Bidder shall attach copy of warranty			
	One year unlimited warranty on all parts			
	One year unlimited warranty on all labor			
	One year unlimited warranty on all construction			
	Repairs must be made in the first year with unlimited			
	warranty and completed in no more than five (5)			
	calendar days			
	If repairs are made by the City in the first year, the City			

8. **CONTRACT NEGOTIATIONS:**

The City of Scottsbluff reserves the right to negotiate any and all items in the formal contract as they may relate to the Scope of Services, etc. found in the Request for Bids.