

# **City of Scottsbluff, Nebraska**

**Monday, February 1, 2021**

**Regular Meeting**

## **Item Consent6**

**Council to approve the bid specifications for the purchase of an EMCO Landfill Truck, Cab & Chassis for the Sanitation Department and authorize the City Clerk to advertise for bids to be received on February 23, 2021 at 1:00 p.m.**

**Staff Contact: Anthony Harris, Environmental Services**

# Agenda Statement

Item No.

For Meeting of: February 1, 2021

**AGENDA TITLE:** Council to approve to advertise for bids and purchase a new or demo refuse truck.

**SUBMITTED BY DEPARTMENT/ORGANIZATION:** Environmental Services

**PRESENTATION BY:** City Manager Rick Kuckkahn

**SUMMARY EXPLANATION:** The Environmental Service Department is requesting approval to purchase two (2) new or demo refuse trucks for the department. An EMCO truck and a side load cart truck.

**BOARD/COMMISSION RECOMMENDATION:**

**STAFF RECOMMENDATION:** The Environmental Service Department is recommending the approval to go out for bids and purchase a new or demo refuse truck to replace an older existing truck. We will trade the oldest truck in and put the funds towards the new truck.

---

## EXHIBITS

Resolution ☐ Ordinance ☐ Contract ☐ Minutes ☐ Plan/Map ☐

Other (specify) approve to go out for bids for a new or demo refuse truck

**NOTIFICATION LIST:** Yes ☒ No ☐ Further Instructions ☐

Please list names and addresses required for notification.

**See attached sheet**

**APPROVAL FOR SUBMITTAL:** \_\_\_\_\_  
City Manager

Rev: 11/15/12 City Clerk

**BIDDING DOCUMENTS  
FOR  
SANITATION VEHICLE  
(Truck, Cab, Chassis and Packer Body)  
New or Demo**



**City of Scottsbluff, Nebraska  
2525 Circle Drive  
Scottsbluff, Nebraska 69361**

**February 2021**

**TABLE OF CONTENTS**  
**Sanitation Vehicle – Truck, Cab, Chassis, Packer Body and Compactor**

<b>Advertisement for Bids</b> .....	3
<b>Information to Bidders</b> .....	4
<b>Supplementary Conditions</b> .....	9
<b>Contract Information</b> .....	11
• Bid Form .....	12
• Specifications Truck, Cab, Chassis.....	16
• Specifications Packer Body & Compactor.....	21

**CITY OF SCOTTSBLUFF, NEBRASKA  
ADVERTISEMENT FOR BIDS  
LANDFILL TRUCK, CAB, & CHASSIS - SANITATION VEHICLE**

The City of Scottsbluff will receive sealed bids until 1:00 p.m., (M.S.T.) Tuesday February 23, 2021, at the City of Scottsbluff City Hall, Office of the City Clerk, 2525 Circle Drive, Scottsbluff, Nebraska 69361. All bids will be publicly opened and read aloud for furnishing a new Sanitation Vehicle complete with truck, cab, chassis, and Packer Compactor body on Tuesday February 23, 2021 at 1:00 p.m. (M.S.T.).

Complete bidding documents are available and may be obtained from the City of Scottsbluff at the above referenced address. Bids shall be submitted in a sealed envelope addressed to the City of Scottsbluff with the name "Bid for Sanitation Vehicle" and include the date and time of bid opening.

The City reserves the right to reject any and/or all proposals, waive any informality in the proposals received and to accept the proposals it deems most beneficial to the City.

/s/Kimberley Wright, City Clerk

Publish 3F:   February 5, 2021  
                  February 12, 2021  
                  February 19, 2021

## **INFORMATION TO BIDDERS**

Bids will be received by the City of Scottsbluff, Office of the City Clerk (hereinafter called the 'OWNER'), at the City of Scottsbluff, 2525 Circle Drive, Scottsbluff, Nebraska 69361 in accordance with the advertisement for bids and then publicly opened and read aloud.

### **DEFINED TERMS**

Terms used in these Instructions to Bidders include the Supplementary Conditions have the meanings assigned to them in the General Conditions.

The term 'Bidder' means one who submits a Bid directly to OWNER, as distinct from a sub-bidder, who submits a bid to a Bidder.

The term 'Successful Bidder' means the lowest, qualified, responsible and responsive Bidder to whom OWNER (on the basis of OWNER's evaluation as hereinafter provided) makes an award.

The term 'Bidding Documents' includes the Advertisement or Invitation to Bid, instructions to Bidder, the Bid Form, and the proposed Contract Documents (including all Addenda issued prior to receipt of Bids).

### **COPIES OF BIDDING DOCUMENTS**

Complete sets of the Bidding Documents in the number and for the deposit sum, if any, stated in the Advertisement or Invitation to Bid may be obtained from the City of Scottsbluff.

Complete sets of Bidding Documents must be used in preparing Bids; OWNER does not assume any responsibility for errors or misinterpretations resulting from the use of incomplete sets of Bidding Documents.

OWNER in making copies of Bidding Documents available on the above terms do so only for the purpose of obtaining Bids on the Sanitation Vehicle and do not confer a license or grant for any other use.

### **EXAMINATION OF CONTRACT DOCUMENTS AND SITE**

It is the responsibility of each Bidder before submitting a Bid, to:

Examine the Contract Documents thoroughly,

Consider Federal, State and Local Laws and Regulations that may affect cost, progress, performance or furnishing of the Sanitation Vehicle,

Study and carefully correlate Bidder's observations with the Contract Documents, and

Notify Director of Environmental Services of all conflicts, errors or discrepancies in the Contract Documents.

The submission of a Bid will constitute an incontrovertible representation by Bidder that Bidder has complied with every requirement of this Request for Bids, that without exception the Bid is premised upon performing and furnishing the Sanitation Vehicle required by the Contract Documents, and such means, methods, techniques, sequences and procedures as may be indicated in or required by the Contract Documents, and that the Contract Documents are sufficient in scope and detail to indicate and convey understanding of all terms and conditions for performance and furnishing for the Sanitation Vehicle.

Reference is made to the Supplementary Conditions for identification of:

Provisions concerning responsibilities for the adequacy of data furnished to prospective Bidders on possible changes in the Contract Documents due to differing conditions.

### **INTERPRETATIONS AND ADDENDA**

All questions about the meaning or intent of the Contract Documents are to be directed to the Director of Environmental Services. Interpretations or clarifications considered necessary by Director of Environmental Services in response to such questions will be issued by Addenda mailed or delivered to all parties recorded by Director of Environmental Services as having received the Bidding Documents. Questions received less than ten (10) days prior to the date for opening of Bids may not be binding. Oral and other interpretations or clarifications will be without legal effect.

Addenda may also be issued to modify the Bidding Documents as deemed advisable by OWNER.

### **SUBMISSION OF BIDS**

Bids shall be submitted at the time and place indicated in the Advertisement or Invitation to Bid and shall be enclosed in an opaque sealed envelope, marked with the Sanitation Vehicle title and name and address of the Bidder and accompanied by the Bid security and other required documents. If the Bid is sent through the mail or other delivery system, the sealed envelope shall be enclosed in a separate envelope with the notation "BID ENCLOSED" on the face of the envelope.

### **BIDS TO REMAIN SUBJECT TO ACCEPTANCE**

All bids will remain subject to acceptance for sixty (60) days after the day of the Bid opening, but OWNER may, in its sole discretion, release any Bid and return the Bid security, if any, prior to that date.

### **BID FORM**

The Bid Form is included with the Bidding Documents; additional copies may be obtained from the OWNER.

All blanks on the Bid Form must be completed in ink or typed.

Bids by corporations must be executed in the corporate name by the president or vice-president (or other corporate officer accompanied by evidence of authority to sign) and the corporate seal must be affixed and attested by the secretary or an assistant secretary. The corporate address and state of incorporation must be shown below the signature.

Bids by partnerships must be executed in the partnership name and signed by a partner, whose title must appear under the signature and the official address of the partnership must be shown below the signature.

All names must be typed or printed below the signature.

The Bid shall contain an acknowledgment of receipt of all Addenda (the numbers of which must be filled in on the Bid Form).

The address and telephone number for communication regarding the Bid must be shown.

### **QUALIFICATIONS OF BIDDERS**

Dealer furnishing the complete Sanitation Vehicle as stated herein must be an authorized franchise dealer and full service center licensed for the type of truck to be furnished. Dealer shall be located within a fifty mile radius of Scottsbluff, Nebraska.

Equipment suppliers shall have a minimum of two years as a factory authorized dealer/distributor and service center stocking parts and providing service.

### **CONTRACT TIME**

The number of days within which, or the dates by which, the Sanitation Vehicle is to be completed is set forth in the Bid Form and Agreement.

### **LIQUIDATED DAMAGES**

Provisions for liquidated damages, if any, are set forth in the Bidding Documents.

### **SUBSTITUTE OR 'OR-EQUAL' ITEMS**

The Contract, if awarded, will be on the basis of Sanitation Vehicle described in the Specifications without consideration of possible substitute or 'no-equal' items.

### **NOTIFICATION AND WITHDRAWAL OF BIDS**

Bids may be modified or withdrawn by an appropriate document duly executed (in the manner that a Bid must be executed) and delivered to the place where Bids are submitted at any time prior to the opening of Bids.

### **OPENING OF BIDS**

Bids will be opened and (unless obviously non-responsive) publically opened and read aloud. An

---

Sanitation Truck Specs 2020-2021

Page 6



abstract of the amounts of the base Bids and major alternates, if any, will be made available to Bidders after the opening of Bids.

### **AWARD OF CONTRACT**

OWNER reserves the right to reject any and all Bids, to waive any and all informalities not involving price, time or changes in the Sanitation Vehicle and to negotiate contract terms with the Successful Bidder, and the right to disregard all nonconforming, non-responsive, unbalanced or conditional Bids. OWNER also reserves the right to reject the Bid of any Bidder if OWNER believes that it would not be in the best interest of the City to make an award to that Bidder, whether because the Bid is not responsive or the Bidder is unqualified or if doubtful financial ability or fails to meet any other pertinent standard or criteria established by OWNER. Discrepancies between the indicated sum of any column of figures and the correct sum thereof will be resolved in favor of the correct sum.

In evaluating Bids, OWNER will consider the qualifications of the Bidders, whether or not the Bids comply with the prescribed requirements, and such alternates, unit prices and other data, as may be requested in the Bid Form or prior to the Notice of Award.

OWNER may consider the qualifications and experience of Subcontractors, Suppliers, and other persons and organizations proposed for those portions of the Work as to which the identity of Subcontractors, Suppliers, and other persons and organizations must be submitted as provided in the Supplementary Conditions. OWNER also may consider the operating costs, maintenance requirements, performance data and guarantees of major items of materials proposed for incorporation in the Sanitation Vehicle when such data is required to be submitted prior to the Notice of Award.

OWNER may conduct such investigations as OWNER deems necessary to assist in the evaluation of any Bid and to establish the responsibility, qualifications and financial ability of Bidders, proposed Subcontractors, Suppliers and other persons and organizations to perform and furnish the Sanitation Vehicle in accordance with the Contract Documents to OWNER's satisfaction within the prescribed time.

If the Contract is to be awarded, it will be awarded to the Bidder whose evaluation by OWNER indicates to OWNER that the award will be in its best interest. The right is reserved in the interest of the OWNER to reject any or all Bids and to waive any informality in the Bids received.

If the Contract is to be awarded, OWNER will give the Successful Bidder a Notice of Award within sixty (60) days after the day of the Bid opening.

### **SIGNING OF AGREEMENT**

When OWNER gives a Notice of Award to the Successful Bidder, it will be accompanied by the required number of unsigned counterparts of the Contract with all other written Contract Documents attached. Within fifteen (15) days thereafter, CONTRACTOR shall sign and deliver the required number of counterparts of the Agreement and attached documents to OWNER with

---

Sanitation Truck Specs 2020-2021

Page 7

the required Bonds. Within ten (10) days thereafter OWNER shall deliver one (1) fully signed counterpart to CONTRACTOR.

## **SUPPLEMENTARY CONDITIONS**

### **GENERAL**

The Supplementary Conditions included herein are modified as follows:

### **ARTICLE 4 - PAYMENTS TO CONTRACTOR AND COMPLETION**

The OWNER will make payment within thirty (30) days of receipt and approval of Sanitation Vehicle.

### **ARTICLE 5 - BOND AND INSURANCE**

It is the sole responsibility of the Subcontractors, Suppliers, and other persons and organizations to provide full insurance on all equipment described herein while Sanitation Vehicle is in their possession until delivery and final acceptance by the OWNERS, Director of Environmental Services.

### **CONTRACTORS RESPONSIBILITY & FURNISHED ITEMS**

Truck Chassis:

The OWNER will require that the Sanitation Vehicle be furnished within the following time schedule:

The Bidder shall be required to deliver the truck chassis within ninety (90) calendar days of the date of the Notice of Award. If the Bidder cannot meet this schedule, the Bidder shall so note on the Bid/Quotation Form.

The Bidder providing chassis will be responsible for delivering chassis to awarded Packer Body Company. Bidder providing chassis is responsible for notifying OWNER when chassis is delivered to Packer Body Company.

If the Sanitation Vehicle is not delivered on or before the date as stated herein for completion, or as may be extended by the OWNER, the Bidder shall pay the Owner liquidated damages in the amount of \$100.00 per day for each and every consecutive calendar day that the Sanitation Vehicle has not been delivered/incomplete after the date set for completion or the date noted by the Bidder on the Bid/Quotation Form in the event the OWNER deems this necessary.

Packer Body:

The OWNER will require that the Sanitation Vehicle be furnished within the following time schedule:

The Bidder shall be required to deliver the Packer body within forty (40) calendar days of the date of the delivery of the chassis to the Packer body company. If the Bidder cannot meet this schedule it shall so note on the Bid/Quotation Form.

If the Packer body is not delivered on or before the date fixed for completion, or as may be extended by the OWNER, the Bidder shall pay the OWNER liquidated damages in the amount of \$100.00 per day for each every consecutive calendar day that the Sanitation Vehicle has not been delivered/incomplete after the date set for completion or the date noted by the Bidder on the Bid/Quotation Form in the event the City deems this necessary.

The sanitation vehicle, truck, chassis and Packer body shall be delivered to the OWNER located at 609 E. 2<sup>nd</sup> Street, Scottsbluff, NE 69361. within one hundred and thirty (130) calendar days.

## **DELIVERY AND MANUFACTURER WARRANTY**

Sanitation Vehicle Manufactures shall each provide two hours of instruction at the City of Scottsbluff- Environmental Services located at 609 E. 2<sup>nd</sup> Street, Scottsbluff, NE 69361.

Suppliers shall include a minimum of two hours operational and maintenance instruction to be performed upon delivery of the complete unit. The Bidder shall notify the OWNER in advance for scheduling the introductory operations. Two copies of operational manuals and parts books shall be furnished with the Sanitation Vehicle upon final delivery.

A copy of the manufacturer warranty and brief summary shall be provided with all equipment at the time of delivery. The Sanitation Vehicle warranty shall be a minimum of 24 months bumper to bumper and the Packer Body a minimum of 12 months.

## **POINTS OF CONTACT**

<b>City of Scottsbluff</b> 2525 Circle Drive Scottsbluff, NE 69361	Anthony Harris, Director of Environmental Services, (308) 630-0879 Wayne Lund, Lead Maintenance Mechanic, (308) 630-6268
--	---

## **TRADE INS**

The following information will be completed by the City of Scottsbluff if there is a qualified trade in. Pictures can be furnished upon request

Year:   2007  

Make and Model:   Challenger/Champion, Freightliner M2 Business  

VIN #:   1FVHC3BS78HZ84839  

Mileage:   66,095   Hours:   ?  

O/P Date:   8/24/2006

# CONTRACT INFORMATION

---

Sanitation Truck Specs 2020-2021  
11

Page

## **BID FORM**

1. **SANITATION VEHICLE:** Bidding documents for a “New or Demonstrative Sanitation Vehicle including, Cab, Chassis, Packer Body and Compactor for the City of Scottsbluff, Nebraska.
2. **THIS BID IS SUBMITTED TO:**     City of Scottsbluff  
  2525 Circle Drive  
  Scottsbluff, Nebraska 69361  
  Telephone: (308) 630-6221  
  Fax: (308) 630-6294
3.     The undersigned **BIDDER** proposes and agrees, if this Bid is accepted, to enter into an contract with **OWNER**, in the form included in the Contract Documents, to supply a new Sanitation Vehicle as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid, and in accordance with the other terms and conditions of the Contract Documents.
4.     **BIDDER** accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for forty-five (45) days after the day of the Bid opening. **BIDDER** shall sign and submit the Contract with the Bonds (if applicable) and other documents required by the Bidding Requirements within fifteen (15) days after the date of **OWNER**’s Notice of Award.
5.     In submitting this Bid, **BIDDER** represents, as more fully set forth in the Contract, that:
6.     **BIDDER** has examined copies of all the Bidding Documents and or the following Addenda  
(receipt of all which is hereby acknowledged):

<b>ADDENDUM NUMBER(S)</b>	<b>DATED</b>

7.     **BIDDER** is familiarized with the nature and extent of the Contract Documents. And all local conditions and Laws and Regulations that in any manner may affect cost, progress, performance or furnishing of the Sanitation Vehicle.
8.     **BIDDER** has given **OWNER** written notice of all conflicts, errors or discrepancies that it has discovered in the Contract Documents and the written resolution thereof by **OWNER** is acceptable to **BIDDER**.

9. This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain from itself any advantage over any other Bidder or over OWNER.

10. Other representation required by Laws and Regulations.

11. BIDDER will supply the Sanitation Vehicle as set forth in the Contract Documents for the following prices.

12. BIDDER agrees that the delivery of the Sanitation Vehicle will be as follows:

The bidder shall be required to deliver the vehicle within ninety (90) calendar days of the date of the Notice of Award. If the bidder cannot meet this schedule, the bidder shall so note on the Bid/Quotation Form.

If other completion dates are proposed, please list as an exception following:

---

List – other completion/delivery date

13. If no exception is taken to the specified completion, the OWNER and CONTRACTOR agree that as liquidated damages for delay (but not as penalty) CONTRACTOR shall pay OWNER One Hundred Dollars (\$100.00) per day for each day that expires after the time specified until the Sanitation Vehicle is delivered.

**BID FORM  
TRUCK, CAB & CHASSIS  
SANITATION VEHICLE**

The Bidder proposes and agrees, if the bid is accepted, to furnish Sanitation Vehicle meeting or exceeding the minimum specifications specified for the Contract price and within the time indicated in this Bid. This Bid will remain subject to acceptance for thirty (30) days after the date of Bid opening.

Bidder shall supply all shop drawings of Sanitation Vehicle.

Bidder shall use and complete all items on the bid forms.

A copy of the manufacturer's warranty shall be attached to the bid forms (minimum 2 years).

**TRUCK, CAB & CHASSIS  
SANITATION VEHICLE**

Includes furnishing, servicing, and delivering to Packer Body Company operation and maintenance instruction and all other items necessary to complete the transaction; except those items specifically listed hereafter for the following Lump Sum Price:

1 each at:

_____	\$	_____
(Words - Lump Sum Price)		(Figures L.S.)

List: Make and Model: \_\_\_\_\_

Delivery if other than 90 calendar days: (specify): \_\_\_\_\_  
Total Calendar Days

List: Factory Authorized Parts & Service Center

_____	_____
Address	Years at Present Location

CONTACTS:

Parts: _____	Service: _____
--------------	----------------

Telephone: _____	Telephone: _____
------------------	------------------

---

Sanitation Truck Specs 2020-2021

Page

14



## PACKER BODY & COMPACTOR

The Bidder proposes and agrees, if the bid is accepted, to furnish Sanitation Vehicle meeting or exceeding the minimum specifications specified for the Contract price and within the time indicated in this Bid – Champion Square Body or equal. This Bid will remain subject to acceptance for thirty (30) days after the date of Bid opening.

A copy of the manufacturer's warranty shall be attached to the bid forms.

### Packer Body & Compactor

1 each at:

_____	\$ _____
(Words - Lump Sum Price)	(Figures L.S)

Manufacturer: \_\_\_\_\_

Model: \_\_\_\_\_

**DELIVERY** (40 calendar days spcified): \_\_\_\_\_  
After receipt of truck (cab and chassis)      Total Calendar Days

**SPECIFICATION  
TRUCK, CAB, CHASSIS, & DUMP BODY**

**GENERAL**

The truck, cab, and chassis shall be capable of carrying a minimum nine (9) ton payload and shall be new, with twin screw type tandem axle and shall be modified by the bidder to be compatible with the Packer body and compactor unit.

Details/Specified  
Unit Proposed  
By Bidder

**TRUCK, CAB MINIMUM SPECIFICATIONS**

**MAKE:** \_\_\_\_\_

**MODEL:** \_\_\_\_\_

**MINIMUM SPECIFICATIONS**

1. **OPERATING WEIGHT:**

☐ G.V.W. minimum of 60,000 pounds \_\_\_\_\_

**Axle ratings:**

☐ Front axle minimum 16,000 pounds \_\_\_\_\_

☐ Rear axle 40,000 pounds (twin screw tandem)  
Single speed with ratio compatible with engine  
and transmissions \_\_\_\_\_

☐ Equipped with manual differential lock from cab \_\_\_\_\_

2. **SUSPENSIONS:**

☐ Heavy duty front shock absorbers \_\_\_\_\_

☐ Heavy duty rear shock absorbers 40,000# or equivalent \_\_\_\_\_

☐ Spring rating 20,000 pounds flat leaf front \_\_\_\_\_

☐ Spring rating 40,000 pounds rear \_\_\_\_\_

☐ Oil lubricated front wheel and rear wheel hubs \_\_\_\_\_

☐ Fore/Aft/Transverse/Control Rods \_\_\_\_\_

**Axle Related Items:**

- ☐ Greaseable drag link and tie rods \_\_\_\_\_
- ☐ 56 inch axle spacing \_\_\_\_\_

3. **BRAKES:**

- ☐ ABS with diagnostics without traction enhancement \_\_\_\_\_
- ☐ Air brakes front and rear \_\_\_\_\_
- ☐ Bendix, AD-9, air dryer with heater mounted under cab \_\_\_\_\_
- ☐ All brake linings non-asbestos \_\_\_\_\_
- ☐ Equipped with air parking brake \_\_\_\_\_
- ☐ Manual drain cocks on air tanks \_\_\_\_\_

4. **TRANSMISSION:**

- ☐ Allison Automatic transmission 6 speed \_\_\_\_\_  
With auto-neutral option & PTO provision
- ☐ Transmission oil cooler \_\_\_\_\_
- ☐ Equipped with transmission filter \_\_\_\_\_

**POWER TRAIN**

5. **ENGINE:**

- ☐ CUM ISC-350 350 HP @ 2000 RPM; 2200 GOV, \_\_\_\_\_  
1000 LB/FT @ 1400 RPM
- ☐ Engine mounted oil check and fill \_\_\_\_\_
- ☐ DR 12V 160 AMP Quadra mount Pad Alternator \_\_\_\_\_  
With remote battery volt sense
- ☐ Full flow oil filter \_\_\_\_\_
- ☐ Electronic engine integral shutdown protection system \_\_\_\_\_

6. **ENGINE EQUIPMENT:**

- ☐ DELCO 12V 38MT HD starter with integrated \_\_\_\_\_  
Magnetic switch
- ☐ Air cleaner dry type \_\_\_\_\_
- ☐ Coolant filter/conditioner, fleet guard spin-on \_\_\_\_\_  
type
- ☐ Coolant recovery system \_\_\_\_\_
- ☐ Cooling system capacity heavy duty radiator \_\_\_\_\_
- ☐ Heavy duty radiator for hydraulic pump \_\_\_\_\_
- ☐ Engine block heater, 1,000 watt 115 volt \_\_\_\_\_
- ☐ Exhaust system single vertical exhaust \_\_\_\_\_  
System with muffler
- ☐ Clutch fan \_\_\_\_\_
- ☐ Fuel water separator filter \_\_\_\_\_
- ☐ Oil cooler, engine mounted disposable oil filter \_\_\_\_\_

- ☐ Equipped with limit box on PTO \_\_\_\_\_
7. **STEERING:**  
☐ Power steering will be furnished \_\_\_\_\_
8. **TIRE/WHEELS:**  
☐ Front tires 16 ply radials tubeless w/all season tread \_\_\_\_\_  
☐ Rear tires 16 ply radials tubeless extra waste  
 Handler lugs style \_\_\_\_\_  
☐ Wheels- 10 hole white steel disc- hub ported style \_\_\_\_\_  
☐ One (1) spare tire 16 ply & wheel as specified above \_\_\_\_\_  
 For rear tires \_\_\_\_\_
9. **FUEL TANK:**  
☐ Steel, 70 gallon (minimum) 25 inch diameter type tank \_\_\_\_\_
10. **FRAME:**  
☐ Two (2) front and rear mounted tow hooks  
 bolted to frame. \_\_\_\_\_
11. **ELECTRICAL SYSTEM:**  
☐ Two (2) batteries minimum of 1500 cold cranking Amps \_\_\_\_\_  
☐ PTO mode brake override – service brake applied \_\_\_\_\_  
 Or park brake not applied \_\_\_\_\_  
☐ PTO mode cancel vehicle speed – 5 MPH \_\_\_\_\_
12. **CAB EQUIPMENT:**  
☐ Standard conventional with tilting hood and fenders \_\_\_\_\_  
☐ Two (2) dual 7" x 16" side mounted with round spotting  
 mirrors, with extra left hand spot mirror – 8" and two  
 extra spot mirror on right side. \_\_\_\_\_  
☐ High back air ride seat on driver's side with arm rest  
 Rest on both sides \_\_\_\_\_  
☐ High back air ride seat on passenger side with arm  
 Rest on both sides \_\_\_\_\_  
 Standard high back seat passenger side \_\_\_\_\_  
☐ Seat belts retractable to lap and shoulder, seats \_\_\_\_\_  
☐ Heavy duty vinyl seats \_\_\_\_\_  
☐ Rubber floor mats. \_\_\_\_\_  
☐ Sun visors \_\_\_\_\_  
☐ Assistive handle for easy access to cab \_\_\_\_\_  
☐ Windshield wipers intermittent speed equipped  
 with windshield washer \_\_\_\_\_  
☐ Interior dome lamp w/integral 3 way activated  
 Switch by driver's door \_\_\_\_\_  
☐ 12 volt dash mounted electrical outlet \_\_\_\_\_

- ☐ Single air horn, single electric horn \_\_\_\_\_
- ☐ Keyed lockable doors \_\_\_\_\_
- ☐ Cab constructed of steel or aluminum or combination \_\_\_\_\_
- ☐ Cab framing reinforced floor \_\_\_\_\_
- ☐ Cab mounts two point hinges \_\_\_\_\_
- ☐ Bumper full width wrap around \_\_\_\_\_
- ☐ Headlights equipped with turn signal lights front \_\_\_\_\_
- and back and switches, warning lights with buzzers \_\_\_\_\_
- ☐ Integral stop/tail/backup lights \_\_\_\_\_
- ☐ Steering wheel size approximate 18" \_\_\_\_\_
- ☐ Mud flaps, front and rear duals \_\_\_\_\_
- ☐ Colored flat screen monitor shall be mounted in the \_\_\_\_\_
- Cab and be fully adjustable with split screen option so \_\_\_\_\_
- all camera views can be displayed at one time and \_\_\_\_\_
- automatically switch to full screen back up camera \_\_\_\_\_
- when unit is shifted to reverse \_\_\_\_\_

13. **INSTRUMENT PANEL AND GAUGES:**

- ☐ Circuit protectors, self-resetting circuit breakers \_\_\_\_\_
- ☐ Electronic engine hour meter \_\_\_\_\_
- ☐ Electronic tachometer \_\_\_\_\_
- ☐ Dual air pressure gauge with buzzer \_\_\_\_\_
- ☐ Engine coolant temperature gauge \_\_\_\_\_
- ☐ Transmission temperature gauge \_\_\_\_\_
- ☐ Engine oil pressure gauge \_\_\_\_\_
- ☐ Fuel gauge \_\_\_\_\_
- ☐ Speedometer \_\_\_\_\_
- ☐ Voltmeter \_\_\_\_\_
- ☐ Instrument panel, adjustable lighting \_\_\_\_\_
- ☐ Equipped with clearance lights and ID lights \_\_\_\_\_

14. **CAMERAS:**

- ☐ Two (2) Color Cameras will be provided: \_\_\_\_\_
- 1<sup>st</sup> mounted on the tailgate below the strobe light \_\_\_\_\_
- 2<sup>nd</sup> mounted in the hopper area \_\_\_\_\_
- ☐ The Cameras' shall be Safety Vision \_\_\_\_\_
- ☐ Protective cases shall be provided for the cameras \_\_\_\_\_
- ☐ All Cameras' shall have shields to minimize sun glare \_\_\_\_\_

15. **OPERATOR ENVIRONMENT:**

- ☐ Heavy duty heater and defroster \_\_\_\_\_
- ☐ AM/FM Stereo Radio with front AUX port \_\_\_\_\_
- ☐ Air conditioning/heavy duty blower \_\_\_\_\_

16. **PAINTING:**

- ☐ Minimum one coat of primer and finish coat of white in color \_\_\_\_\_
- ☐ Frame standard black chassis paint \_\_\_\_\_
- ☐ Front and rear wheels paint - vendor white \_\_\_\_\_

17. **MISCELLANEOUS:**

- ☐ Back up alarm \_\_\_\_\_
- ☐ Triangle reflectors \_\_\_\_\_
- ☐ Five pound fire extinguisher mounted in cab \_\_\_\_\_
- ☐ First aid kit \_\_\_\_\_
- ☐ Two (2) complete sets of parts, service, and operator's manuals \_\_\_\_\_

18. **WARRANTY:**

- ☐ List manufacturers standard warranty \_\_\_\_\_
- ☐ Bidder shall attach copy of warranty \_\_\_\_\_
- ☐ Minimum two year basic vehicle warranty \_\_\_\_\_
- ☐ Two year unlimited warranty on engine \_\_\_\_\_
- ☐ Two year unlimited warranty on drive train components, transmission, drive axles (differential assemblies, axle shaft and axle housings), steering axles (beam, spindles, kingpins, bearings), and steering arms \_\_\_\_\_
- ☐ Two year unlimited cab structure and sheet metal (conventional hood) \_\_\_\_\_
- ☐ Five year unlimited warranty cab corrosion \_\_\_\_\_
- ☐ Five year unlimited warranty frame rails and cross members \_\_\_\_\_
- ☐ List optional warranties and cost \_\_\_\_\_
- ☐ Repairs must be made in the first two years with unlimited warranty and completed in no more than two (2) calendar days at no charge to customer \_\_\_\_\_
- ☐ Towing included for the 1<sup>st</sup> two (2) years \_\_\_\_\_

## SPECIFICATIONS

### PACKER BODY & COMPACTOR

it is the intent of this specification to describe a hydraulically actuated refuse packer body with the following minimum specifications considered necessary to perform the work assigned and will be the product of a manufacturer actively engaged in the production of refuse collection equipment and will embody their latest improvements in design and construction. They body's construction and specifications shall be in compliance with the applicable standards as promulgated by the American National Standards Institute (ANSI Z245.1)

### GENERAL

The compactor body is an automated container loading and dumping device and shall meet Square Box Specifications or equal and will have a minimum capacity of 33 cubic yards and be capable of compacting refuse and ejecting refuse from the body in a stationary manner. The receiving hopper area will be approximately 6 cubic yards and will accommodate up to and including 6 cubic yard side-load containers without damage.

### MINIMUM SPECIFICATIONS:

Details/Specified  
Unit Proposed  
by Bidder

#### 1. BODY CONSTRUCTION:

- |                          |   |       |
|--------------------------|---|-------|
| <input type="checkbox"/> | Body Capacity – 33 CY including rear tailgate and hopper Capacity   | _____ |
| <input type="checkbox"/> | Hopper – at least 6 CY usable capacity with Hopper sides of a flat design with horizontal channel reinforcing lower panel to be a minimum of 3/16"–A572 Grade 50-50,000 psi minimum yield and Upper panel to be a minimum 10 gauge-A572 Grade 50 -50,000 psi minimum yield                | _____ |
| <input type="checkbox"/> | Hopper floor to be constructed of 1/4"–AR400–140,000 psi minimum yield strength abrasion resistant steel reinforced with a combination of 1/4"–A38HR–36,000 psi yield strength steel. Body sill under the hopper area to be 1/4"–46,000 psi yield strength steel with a 10" cross section | _____ |
| <input type="checkbox"/> | Tailgate will be constructed with 10 Gauge 50, 000 psi yield Strength Steel   | _____ |
| <input type="checkbox"/> | Compacter plate shall be hydraulically activated  | _____ |
| <input type="checkbox"/> | The compaction plate shall be constructed of 1/4" thick- 50,000 psi strength steel reinforced with vertical and horizontal boxed sections   | _____ |
| <input type="checkbox"/> | The body is to be equipped with a hinge access door located on the side opposite the container loader.  | _____ |
| <input type="checkbox"/> | Body shall have a rear under ride guard   | _____ |

- ☐ Body shall have tailgate support props \_\_\_\_\_
- ☐ Rear mud flaps and rear fenders \_\_\_\_\_
- ☐ Remote lubrication system accessible from ground level \_\_\_\_\_
- ☐ Hand rails and steps or ladder for easy access included \_\_\_\_\_

2. **TAILGATE:**

- ☐ Tailgate should be top-hinged and hydraulically raised/ lowered/locked with two hydraulic cylinders. \_\_\_\_\_
- ☐ The tailgate shall be operated from a control switch located within easy reach of the operator inside the cab. \_\_\_\_\_
- ☐ The lower inside perimeter shall be equipped with a replaceable watertight seal. \_\_\_\_\_
- ☐ Unit will have an audible warning buzzer when the tailgate is unlocked and while being raised/lowered. \_\_\_\_\_
- ☐ Rear door locks – the rear door shall be secured by locks at two points on the lower perimeter. \_\_\_\_\_
- ☐ The locks shall be actuated by a hydraulic cylinder \_\_\_\_\_
- ☐ The rear door shall be automatically latched and unlatched in sequence with the rear door hydraulic lift cylinders \_\_\_\_\_

3. **CONTAINER LOADER:**

- ☐ The container loader used in conjunction with the compaction body will provide means to pick up, dump and return to the ground 1 1/2 through 4 cubic yard EMCO “hook style “containers \_\_\_\_\_
- ☐ The container loader will be rated at 3,000 pounds lifting capacity \_\_\_\_\_
- ☐ Container loader shall be actuated by two hydraulic cylinders and shall raise the lift carriage to the dump position and return to the disengage position \_\_\_\_\_
- ☐ All movements of the loader (up, down, in, out) are to be accomplished with no more than three (3) cylinders \_\_\_\_\_
- ☐ Loader is to be operated with dual air controls located within easy reach of the operator. These controls shall be of a “light” touch design. Cables or chains will not be acceptable \_\_\_\_\_
- ☐ The container loader shall be capable of extending outward from the fully collapsed position a minimum of 40 inches in a horizontal plane \_\_\_\_\_
- ☐ The track reach (extend/retract) shall be actuated by a hydraulic cylinder \_\_\_\_\_
- ☐ The operator must have unrestricted view of the Packer plate from inside the cab \_\_\_\_\_



- ☐ Hydraulic reservoir behind cab not acceptable \_\_\_\_\_
- 4. **PACKING MECHANISM:**
  - ☐ The Packer plate shall be actuated by two hydraulic cylinders mounted in the horizontal plane. \_\_\_\_\_
  - ☐ The cylinder shall be connected to the Packer plate by trunion mountings \_\_\_\_\_
  - ☐ The Packer plate shall be capable of traversing the entire length of the body \_\_\_\_\_
  - ☐ The packing mechanism shall operate such that the pack cycle terminates automatically prior to the Packer plate contacting the rear door \_\_\_\_\_
- 5. **HYDRAULIC SYSTEM:**
  - ☐ The hydraulic system should be composed of 2 vane pumps, one for body functions, and one for arm functions. Pumps have a common suction. Hydraulic pump model is Denison T6DC. D cartridge is for body function, C cartridge is for arm function. The hydraulic pressure body line shall be made up of Denison ECO system with a 12 volt DC in line mounted solenoid which diverts the flow back to the Inlet when the pump is not engaged and a flow control block which diverts excess flow back to the inlet. Body functions pump maximum flow is 30 gpm @ 700 rpm. Hydraulic system pressure relief for the body is 2500 psi and for the arm it is 2000 psi. \_\_\_\_\_
  - ☐ An oil sight level gauge to permit visual determination Of the oil in the reservoir \_\_\_\_\_
  - ☐ Hydraulic system shall be equipped with a hydraulic Oil filter on the return line inside on the top of the tank With a 100 wire mesh suction strainer \_\_\_\_\_
  - ☐ There will be a high pressure in-line filter of 10 micron Capability in the pressure line ahead of the main control valve. The filter will be of the replaceable element type \_\_\_\_\_
  - ☐ Hydraulic system will be equipped with a pressure detection device to ensure a maximum of 2500 psi operating pressure \_\_\_\_\_
  - ☐ The hydraulic system shall operate at a pressure of 1800 psi and shall be capable of operating at a pressure of 2000 psi \_\_\_\_\_
  - ☐ The hydraulic system shall have a separate hour meter \_\_\_\_\_
- 6. **PAINTING:**
  - ☐ Two (2) coats of rust inhibiting primer are to be \_\_\_\_\_

applied prior to the finish coat white in color to match cab

- ☐ Body shall be properly prepared free from weld slag, greases and oils \_\_\_\_\_

7. **MISCELLANEOUS:**

- ☐ Should be equipped with ladder on Packer body \_\_\_\_\_
- ☐ The compaction body shall have all necessary warning decals, lights and reflectors to meet State and Federal highway standards \_\_\_\_\_
- ☐ Additional working lighting should be provided Equipped with front and rear strobe lights on body that has separate switch in cab \_\_\_\_\_
- ☐ Equipped with spot light mounted on back of body hooked to backup lights \_\_\_\_\_

8. **WARRANTY:**

- ☐ List manufacturer's standard warranty \_\_\_\_\_
- ☐ Bidder shall attach copy of warranty \_\_\_\_\_
- ☐ One year unlimited warranty on all parts \_\_\_\_\_
- ☐ One year unlimited warranty on all labor \_\_\_\_\_
- ☐ One year unlimited warranty on all construction \_\_\_\_\_
- ☐ Repairs must be made in the first year with unlimited warranty and completed in no more than five (5) calendar days \_\_\_\_\_
- ☐ If repairs are made by the City in the first year, the City will be reimbursed for labor and parts \_\_\_\_\_

9. **CONTRACT NEGOTIATIONS:**

The OWNER reserves the right to negotiate any and all items in the formal Contract found in the Request for Bids.