City of Scottsbluff, Nebraska

Monday, June 15, 2015 Regular Meeting

Item Subdiv.3

Council to consider a Revised Preliminary Plat for Five Oaks Subdivision.

Staff Contact: Annie Urdiales, Planning Administrator

Agenda Statement

Item No.

For meeting of: June 15, 2015

AGENDA TITLE: Revised Preliminary Plat for Five Oaks Subdivision 2015

SUBMITTED BY DEPARTMENT/ORGANIZATION: Development Services Department

PRESENTATION BY: Rick Kuckkahn

SUMMARY EXPLANATION: Baker & Associates have submitted a Revised Preliminary Plat of Five Oaks Subdivision for review and approval by the Planning Commission & City Council. The initial preliminary plat was approved by City Council in December of 2004 with revisions also approved in 2008, and 2014.

City staff and Consultants have reviewed the preliminary plat and proposed changes to the area. The revised preliminary plat has been changed to reflect changes to Block 9 an additional 3± was added to the east area of the new Block 9, this change eliminating one street (Red Cedar Drive), West Oak Boulevard was realigned and renamed to 40th Street as it aligns with the existing 40th Street to the east. The following lots and blocks on the preliminary plat have changed from last year's preliminary plat:

Lots 1 and 2, Block 9 (changed (1) and added (2)) Lots, 16, 17 all in Block 6 (changed) Lot 1 Block 11 (changed - is smaller) Deleted Lots 4, 5, and 6 Block 12 Deleting Lot 18, Block 6.

The Lots south of 40th Street east of G has no changes. The preliminary plat meets the subdivision codes and city standards. Staff met with the City Engineer and discussed a few corrections and concerns of the preliminary plat and those changes have been addressed.

BOARD/COMMISSION RECOMMENDATION: At a regular meeting held on May 11, 2015 the Planning Commission approved the revised preliminary plat.


STAFF RECOMMENDATION: Approval of the Preliminary Plat, to allow Developer to go forward with development of Five Oaks Subdivision.

EXHIBITS					
Resolution □	Ordinance	Contract □	Minutes x	Plan/Map x	
Other (specify)					
NOTIFICATION LIST: Yes ☐ No ☐ Further Instructions ☐					
APPROVAL FOR SUBMITTAL:					
		City Ma	anager		
			-		

Rev 3/1/99CClerk

FIVE OAKS SUBDIVISION - 2015 PRELIMINARY PLAT


SCOTTSBLUFF, NEBRASKA



Development Statistics: OPEN SPACE SINGLE FAMILY 37 UNITS TOTAL DWELLING UNITS TOTAL ACREAGE GROSS DENSITY 1.03 D.U./Acre

Drawing Index: | SHEET # DRAWING TITLE | 0 COVER SHEET | C-1.00 EXISTING SITE PLAN | C-1.01 VACATED LOT PLAN | C-1.02 LOT PLAN | C-1.03 STREET PLAN | C-1.04 GRADING AND DRAINAGE PLAN | C-1.05 UTILITY PLAN | C-1.05 UTILI

Abbreviations: **RSWV** RESILIENT SEAT WEDGE VALVE MANHOLE STA STATION **ELEV ELEVATION ABOVE SEA LEVEL** BOC BACK OF CURB TOC TOP OF CURB EOR EDGE OF ROAD FLOW LINE **GUTTER LINE** L.F. LINEAL FEET PVC POLYVINYL CHLORIDE MATERIAL VCP VITRIFIED CLAY PIPE RCP REINFORCED CONCRETE PIPE CMP CORRUGATED METAL PIPE HDPE HIGH DENSITY POLYETHYLENE DUCTILE IRON PIPE T-BLK CONCRETE THRUST BLOCK PCC PORTLAND CEMENT CONCRETE CENTERLINE ELEVATION PROP.A. PROPOSED EXISTING BCR BEGIN CURB RETURN ECR END CURB RETURN POINT OF CURVATURE POINT OF TANGENT PRC POINT OF REVERSE CURVE POB POINT OF BEGINNING POE POINT OF END BVC BEGIN VERTICAL CURVE END VERTICAL CURVE POINT OF INTERSECTION POINT OF VERTICAL INTERSECTION GRADE BREAK HIGH POINT LOW POINT RECORDED DISTANCE MEASURED DISTANCE



Property Description:

A PARCEL OF LAND KNOW AS THE REMAINDER OF THE UN-PLATTED LANDS FOR FIVE OAKS SUBDIVISION, CONTAINING 1,604,562 SQ. FT (36.836 ACRES), MORE OR LESS, IN THE NORTHWEST QUARTER OF SECTION 14, TOWNSHIP 22 NORTH, RANGE 55 WEST, OF THE 6TH PRINCIPAL MERIDIAN, IN SCOTTS BLUFF COUNTY, NEBRASKA, SAID TRACT OR PARCEL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SECTION 14, TOWNSHIP 22 NORTH, RANGE 55 WEST, OF THE 6TH PRINCIPAL MERIDIAN, WHENCE THE WEST QUARTER CORNER OF SAID SECTION 14, BEARS SOUTH 02°03'39" WEST, A DISTANCE OF 2675.32 FEET; THENCE ALONG NORTH LINE OF THE NORTHWEST QUARTER OF SAID SECTION 14, SOUTH 88°13'30" EAST, A DISTANCE OF 69.51 FEET; THENCE SOUTH 01°46'30" WEST, A DISTANCE OF 33.00 FEET TO A POINT ON THE EXISTING SOUTH RIGHT OF WAY OF 42ND STREET AND TO THE POINT OF BEGINNING;

THENCE ALONG SAID EXISTING SOUTH RIGHT OF WAY LINE OF 42ND STREET SOUTH 88°13'30" EAST, A DISTANCE OF 814.66 FEET TO A POINT ON THE WEST RIGHT OF WAY OF AVENUE G;

THENCE ALONG SAID WEST RIGHT OF WAY OF AVENUE G, SOUTH 02°09'33" WEST, A DISTANCE OF 743.92 FEET TO A POINT ON THE EXISTING SOUTH RIGHT OF WAY LINE OF 40TH STREET;

THENCE ALONG SAID EXISTING SOUTH RIGHT OF WAY LINE OF 40TH STREET, SOUTH 88°19'45" EAST, A DISTANCE OF 313.58 FEET TO A POINT OF INTERSECTION WITH THE DESCRIPTION RECORDED IN INSTRUMENT 2009-5025 FILED IN THE SCOTTS BLUFF COUNTY RECORD

THENCE THE FOLLOWING THREE (3) COURSES ALONG SAID INSTRUMENT 2009-5025:

1. SOUTH 03°37'31" WEST, A DISTANCE OF 123.15 FEET;

 THENCE ON THE ARC OF A CURVE TO THE RIGHT, A RADIUS OF 97.00 FEET, A CENTRAL ANGLE OF 36°16'17", A DISTANCE OF 61.41 FEET, (A CHORD BEARING SOUTH 15°26'16" EAST, A DISTANCE OF 60.39 FEET);

3. THENCE ON THE ARC OF A CURVE TO THE RIGHT, A RADIUS OF 487.00 FEET, A CENTRAL ANGLE OF 39°05'20", A DISTANCE OF 332.25 FEET, (A CHORD BEARING SOUTH 14°01'45" EAST, A DISTANCE OF 325.84 FEET) TO A POINT OF INTERSECTION WITH THE EXISTING RIGHT OF WAY FOR MULBERRY STREET;

THENCE NORTH 88°52'32" WEST, A DISTANCE OF 52.17 FEET

THENCE NORTH 83°57'32" WEST, A DISTANCE OF 117.00 FEET;
THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 318.00 FEET, A CENTRAL ANGLE OF 05°37'57", A DISTANCE OF 31.26 FEET, (A

THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 318.00 FEET, A CENTRAL ANGLE OF 05°37'57", A DISTANCE OF 31.26 FEET, CHORD BEARING NORTH 03°13'30" EAST, A DISTANCE OF 31.25 FEET);

THENCE NORTH 88°26'48" WEST, A DISTANCE OF 180.75 FEET.

THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 159.00 FEET, A CENTRAL ANGLE OF 18°14'20", A DISTANCE OF 50.61 FEET, (A CHORD BEARING NORTH 07°53'39" WEST, A DISTANCE OF 50.40 FEET);
THENCE NORTH 87°18'07" WEST, A DISTANCE OF 56 56 FEET:

THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 134.00 FEET, A CENTRAL ANGLE OF 22°43'32", A DISTANCE OF 53.15 FEET, (A CHORD BEARING SOUTH 81°20'07" WEST, A DISTANCE OF 52.80 FEET);

THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 134.00 FEET, A CENTRAL ANGLE OF 25°23'50", A DISTANCE OF 59.40 FEET, (A CHORD BEARING SOUTH 57°16'26" WEST, A DISTANCE OF 58.91 FEET);

THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 134.00 FEET, A CENTRAL ANGLE OF 22°13'34", A DISTANCE OF 51.98 FEET, (A CHORD BEARING SOUTH 33°27'44" WEST, A DISTANCE OF 51.66 FEET);
THENCE SOUTH 22°20'57" WEST, A DISTANCE OF 54.48 FEET;

THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 154.00 FEET, A CENTRAL ANGLE OF 08°21'16", A DISTANCE OF 22.45 FEET, (A CHORD BEARING SOUTH 18°10'19" WEST, A DISTANCE OF 22.43 FEET);

THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 154.00 FEET, A CENTRAL ANGLE OF 22°07'48", A DISTANCE OF 59.48 FEET, (A

CHORD BEARING SOUTH 02°55'47" WEST, A DISTANCE OF 59.11 FEET);
THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 154.00 FEET, A CENTRAL ANGLE OF 22°08'04", A DISTANCE OF 59.49 FEET, (A

CHORD BEARING SOUTH 19°12'08" EAST, A DISTANCE OF 59.12 FEET);
THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 154.00 FEET, A CENTRAL ANGLE OF 20°46'38", A DISTANCE OF 55.85 FEET, (A CHORD BEARING SOUTH 40°39'29" EAST, A DISTANCE OF 55.54 FEET);

THENCE SOUTH 38°14'05" WEST, A DISTANCE OF 195.53 FEET;
THENCE ON THE ARC OF A CURVE TO THE LEFT, A RADIUS OF 349.00 FEET, A CENTRAL ANGLE OF 08°56'40", A DISTANCE OF 54.48 FEET, (A

CHORD BEARING SOUTH 56°14'15" EAST, A DISTANCE OF 54.43 FEET); THENCE SOUTH 29°17'26" WEST, A DISTANCE OF 146.00 FEET;

THENCE SOUTH 18°00'06" WEST, A DISTANCE OF 123.44 FEET;

THENCE SOUTH 18°00'06" WEST, A DISTANCE OF 154.77 FEET;

THENCE NORTH 59°43'24" WEST, A DISTANCE OF 585.67 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF HIGHWAY 71 (AVENUE I);

THENCE CONTINUING ALONG SAID EXISTING EAST RIGHT OF WAY LINE OF HIGHWAY 71 THE FOLLOWING 3 COURSES:

1. NORTH 02°03'38" EAST, A DISTANCE OF 1,028.18 FEET;

NORTH 02°03'39" EAST, A DISTANCE OF 262.75 FEET;
 NORTH 02°37'26" EAST, A DISTANCE OF 475.46 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

THE ABOVE DESCRIBED PARCEL CONTAINS 1,604,562 SQ. FT. (36.836 ACRES), MORE OR LESS.

OWNER INFORMATION:

C&T Holdings, LLC 1320 Circle Drive Scottsbluff, NE 69361 Jason & Sami Webb 1602 West 42nd Street Scottsbluff, NE 69361 aker scottsbluff, NE 69361
308 632 3123
www.baker-eng.com
SSOCiates
Inc.

PRELIMINARY PLANT

(S SUBDIVISION (ISED PRELIMINARY PLAT

> FIV 201


> > COVER SHEET


Project: 023-018-14
CAD File:
023-018 Preliminary Plat 2014.dwg
Design Drawing Check
JWB JES


Sheet No.




Scottsbluff Regular Meeting - 6/15/2015










Scottsbluff



Scottsbluff

